

# Product datasheet

Specifications



## Rack PDU, Metered, 1U, 16A, 208/230V, (8) C13



AP7821B

### Overview

Lead time Usually in Stock

### Main

Product or component type	PDU
PDU type	Metered
Cord length	2.5 m
Provided equipment	Cord retention bracket(s) Installation guide Rack mounting brackets User manual

### Complementary

Input Voltage	200 V 208 V 230 V
Height	4.4 cm
Width	44.4 cm
Output Voltage	208 V 230 V
Depth	10.2 cm
Net weight	1.74 kg
Mounting location	Front Rear
Mounting preference	No preference
Input Plug Type	IEC 60320 C20
Mounting mode	Rack-mounted
Rack units	1U
Mounting position	Horizontal
[In] rated current	16 A
Input current limits	20 A
Load capacity	3300 VA
Network frequency	50/60 Hz
Outlet type and quantity	8 IEC 60320 C13

### Environment

<b>Product certifications</b>	cUL listed C-Tick CE CSA GOST UL listed VCCI VDE
<b>Standards</b>	FCC part 15 class A ICES-003 UL 60950
<b>Ambient air temperature for operation</b>	-5...45 °C
<b>Relative humidity</b>	5...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient air temperature for storage</b>	-25...65 °C
<b>Storage Relative Humidity</b>	5...95 %
<b>Storage altitude</b>	0.0000000000...15240.0000000000 m

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	6.4 cm
<b>Package 1 Width</b>	33.7 cm
<b>Package 1 Length</b>	47 cm
<b>Package 1 Weight</b>	2.92 kg

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back RoHS/REACH

## Resource performance

Energy Efficient Product

---

Take-Back Program Available

---

## Well-being performance

Mercury Free

---

Rohs Exemption Information [Yes](#)

---

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

---

Eu Rohs Directive Compliant with Exemptions

---

Circularity Profile [End of Life Information](#)

---