

4XEM's USB-C 4K Ultra HD Multi-Display Universal Docking Station With USB Type-A

4XEM Part- 4XUG69DK5



Introducing the latest in productivity technology, the USB-C 4K Ultra HD Multi-Display Universal Docking Station. This state-of-the-art docking station is designed to enhance your workstation setup, providing you with high-performance connectivity and versatility. With 1 USB Type-C 3.1, 2 DisplayPort 1.2, 2 HDMI 2.0 ports, 3 USB 3.0 Type-A ports, 2 USB 3.0 Type-C ports, and 1 RJ-45 Gigabit port, this docking station allows you to connect all of your peripherals and devices with ease. The 4 pole audio jack for microphone and speaker allows you to enjoy high-quality audio while working or video conferencing.

This professional-grade, business-grade docking station is designed for high-quality, high-performance, and high-connectivity, it is the perfect solution for anyone looking to expand their workstation setup. With its unmatched quality, unbeatable performance, and unparalleled versatility, this docking station is a must-have for anyone looking to boost their productivity and efficiency.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    [tschaus@4xem.com](mailto:tschaus@4xem.com)



## Features

- **4K Ultra HD resolution:** The HDMI 2.0 ports and DisplayPort 1.2 ports support resolutions up to 4K, allowing you to enjoy high-quality video and images on multiple displays.
- **High-speed data transfer:** With the USB 3.0 ports and Type-C port, you can transfer data at lightning-fast speeds, making it easy to transfer large files and media.
- **Multiple connectivity options:** With a variety of ports and connectors, you can connect multiple peripherals to your computer or laptop, including external hard drives, cameras, and more.
- **Gigabit Ethernet port:** The RJ-45 port allows you to connect to a wired network, giving you a fast and stable internet connection.
- **Audio jack:** The 4-pole audio jack allows you to connect a microphone and speaker, so you can use the docking station for video conferencing or other audio-related tasks.

### Application

- Multi-screens
- Meetings
- Home Theatre
- Presentations
- Desktop



**4XEM Products Are Available At Your Favorite Online Retailers**



Warranty Information	Warranty	2 Years
Features/Hardware	4K Support Displays Supported USB Ports Fast-Charge Port(s) Network SD Card Reader Audio Power Delivery Lock Slot Industry Standards  Chipset ID	Yes 2 5 Yes Yes No Yes No Yes DisplayPort++ 1.2 HDMI 2.0 HDCP 1.4 Battery Charging 1.2 DisplayLink - DL6950 VIA Labs - VL813 Genesys Logic - GL3523
Connector(s)	Host Connector Host Connector Cable Connector Type(s)/Rate(s)	USB 3.1 Gen 1 Type-C (5Gbps) Detachable 2x DisplayPort++ 1.2 (HBR2: 5.40Gbps x4) 2x HDMI 2.0 (18Gbps) 3x USB 3.0 Type-A (5Gbps) 2x USB 3.0 Type-C (5Gbps) 1x RJ-45 (10/100/1000Mbps) 1x 4-Pole TRRS Phono Jack (Stereo + Mic Combo)
Performance	Maximum Digital Resolutions  Audio Specification	Single Monitor: 5K (5120 x 2880 @ 60Hz) Dual Monitors: 4K UHD (3840 x 2160 @ 60Hz) Each Up to 5.1-ch surround via DisplayPort/HDMI 2-ch Stereo via TRS
Software	OS Compatibility	Windows 7 or higher Mac OS 10.10.5 or later
Power	Power Source Power Adaptor Style Power Consumption Input Voltage Power Delivery	Included AC Adaptor (100-240VAC, 50/60Hz, 1.2A Max , CLASS II) Wall Wart 40W (Full Load) 20V DC @ 2A N/A
Physical Characteristics	Color Material Host Cable Length  Buttons/Switches LED Indicators Power Cable Length  Product Height Product Width Product Length Weight of Product	Black ABS Plastic C-C Cable: 3.0 ft [0.91 m] C-A Cable: 3.0 ft [0.91 m] N/A Power: Blue AC In: N/A DC Out: 3.83 ft [1.17 m] 7.68 in [195 mm] 3.16 in [80.2 mm] 5.85 in [148.6 mm] 11.85 oz [336 g]
Environmental	Operating Temperature Storage Temperature	32°F to 104°F [0°C to 40°C] @ 10%-90% RH (Non-Condensing) 14°F to 158°F [-10°C to 70°C] @ 10%-90% RH (Non-Condensing)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Box 11.26 in [286 mm] 6.38 in [162 mm] 3.66 in [93 mm] 2.37 lbs [1.08 kg]
What's in the Box	Included in Package	1 x USB-C Universal Docking Station 1 x USB 3.0 C to C Cable 1 x USB 3.0 A to C Cable 1 x 20V DC/2A Power Adapter 1 x User Manual

Notes

- \* Product appearance and specifications are subject to change without notice.
- \* Same day shipping is only available for orders shipping within the United States.

"Single 5K monitor requires both DP ports.  
 HDCP not supported on Mac OS.  
 This device only supports 2 connected displays. If both video output ports are occupied of the same display head, DisplayPort will be given priority.  
 Audio output is not dynamically selectable and is given the following priority:  
 1) 3.5mm Phono Jack - 2) Display Head 1 - 3) Display Head 2"

