

Product datasheet

Specifications



APC Easy Rack PDU, Metered,
0U, 1 Phase, 3.7kW, 230V, 16A,
18 x C13 and 3 x C19 outlets,
IEC60309 2P+E inlet

EPDU1116M

Overview

Lead time Usually in Stock

Main

| | |
|---------------------------|---|
| Colour | Black |
| Product or component type | PDU |
| PDU type | Metered |
| Cord length | 3.00 m |
| Number of cables | 1 |
| Provided equipment | Installation guide User manual Vertical mounting brackets |

Complementary

| | |
|--------------------------|-------------------------------------|
| Input Voltage | 200 V 208 V 230 V |
| Height | 90.2 cm |
| Width | 6.2 cm |
| Output Voltage | 230 V |
| Depth | 4.44 cm |
| Net weight | 2.5 kg |
| Mounting location | Side |
| Mounting preference | No preference |
| Input Plug Type | IEC 60309 16 A 2P + E |
| Mounting mode | Rack-mounted |
| Rack units | 0U |
| Mounting position | Vertical |
| Input current limits | 16 A |
| Load capacity | 3680 VA |
| Network frequency | 50/60 Hz |
| Outlet type and quantity | 18 IEC 60320 C13 3 IEC 60320 C19 |

Environment

| | |
|---------------------------------------|---------------------------------|
| Product certifications | CE TÜV |
| Ambient air temperature for operation | -5...45 °C |
| Relative humidity | 5...95 % |
| Operating altitude | 0...10000 ft |
| Ambient air temperature for storage | -25...65 °C |
| Storage Relative Humidity | 5...95 % |
| Storage altitude | 0.000000000...15240.000000000 m |

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 132 cm |
| Package 1 Width | 16 cm |
| Package 1 Length | 11 cm |
| Package 1 Weight | 2.994 kg |

Contractual warranty

| | |
|----------|--------------------------|
| Warranty | 1 year repair or replace |
|----------|--------------------------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)


[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

 Reach Free Of Svhc

 Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)