

# Product data sheet

Specifications



## APC Workshop SurgeArrest 7 Outlets



PDIY7

⚠ Discontinued on: Feb 14, 2024

⚠ To be end-of-service on: Sep 30, 2024

⚠ To be discontinued

### Overview

Lead time Usually Ships within 8 Weeks

### Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	8 ft (2.4 m)
Number of cables	1
Provided equipment	User Manual

### Physical

Color	Yellow
Height	15.0 in (38 cm)
Width	2.8 in (7 cm)
Depth	1.8 in (4.5 cm)
Net Weight	1.59 lb(US) (0.72 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

### Input

Maximum Line Current per phase	15 A
Input Frequency	50/60 Hz +/- 5 Hz auto-sensing

### Output

Number of power socket outlets	7
Outlet standard	NEMA 5-15R

### Conformance

UL 1449 TVSS Rating	330
Product Certifications	CSA
Standards	UL 1449
Equipment protection policy	Lifetime : \$5000

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage Relative Humidity	0...95 %
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

## Surge Protection and Filtering

eP Joule Rating	820 J
NM Surge Response Time (ns)	0 ns common mode
Common mode rejection	20 dB
Peak current	12 kAcommon mode 6 kAnormal mode
Surge energy rating	800 J

## Ordering and shipping details

GTIN	731304238324
Country of origin	PH

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.0 in (38 cm)
Package 1 Width	2.008 in (5.1 cm)
Package 1 Length	4.3 in (10.9 cm)
Package 1 Weight	1.1 lb(US) (0.5 kg)
SCC14	10731304238321

## Contractual warranty

Warranty	Limited Lifetime
----------	------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

## Well-being performance

Reach Free Of Svhc

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Circularity Profile [End of Life Information](#)

**California Proposition 65** WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)