

Product data sheet

Specifications



APC Symmetra RM 2-6kVA Power Module (2kVA)

SYPM2KU

Overview

Presentation	High density, double-conversion on-line power protection with scalable runtime.
--------------	---

Lead time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	200 V 208 V
--------------------	----------------

Product or Component Type	Power module
---------------------------	--------------

Main Output Voltage	200 V 208 V 230 V
---------------------	-------------------------

Kw Rating	1400 W
-----------	--------

Rated power in VA	2000 VA
-------------------	---------

number of rack unit	0U
---------------------	----

Number of cables	1
------------------	---

Provided Equipment	Installation guide
--------------------	--------------------

Batteries & Runtime

Included Battery Modules	0
--------------------------	---

Battery Slots Empty	0
---------------------	---

Physical

Height	3.25 in (8.26 cm)
--------	-------------------

Width	8.50 in (21.59 cm)
-------	--------------------

Depth	21.50 in (54.61 cm)
-------	---------------------

Net Weight	17.04 lb(US) (7.73 kg)
------------	------------------------

Mounting Location	Front
-------------------	-------

Mounting preference	No preference
---------------------	---------------

Mounting Mode	Not rack-mountable
---------------	--------------------

USB compatible	No
----------------	----

Input

Input Frequency	50/60 Hz +/- 5 Hz auto-sensing
-----------------	--------------------------------

Efficiency at full load	155...276 V
-------------------------	-------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Output

Max Configurable Power (Watts) 1400 W

Ordering and shipping details

GTIN 731304016885

Country of origin PH

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 9.75 in (24.77 cm)

Package 1 Width 14.0000000000 in (35.56 cm)

Package 1 Length 26.0000000000 in (66.04 cm)

Package 1 Weight 19.998 lb(US) (9.071 kg)

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 **Rohs Exemption Information** Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information.

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)