

4XEM's 35W Dual USB Charger C

4XEM Part- 4XRLC53835WB



4XEM's compact Dual USB Wall Charger will charge your phone or other USB devices with ease. Quickly plugs into a standard household outlet for fast, efficient charging. Connect the adapter directly to your device via a separate charging cable and you're all set. Compatible with nearly every device that charges via USB. Utilizes a modernized interface featuring USB-C.

Problem it solves: No need to connect your device to a computer for recharging. With the Power Adapter/Wall Charger, you can easily plug into any household outlet for a quick boost! Charge up to 2 devices simultaneously!

**4XEM Products Are Available At Your Favorite Online Retailers**


**WWW.4XEM.COM**

Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104 [tschaus@4xem.com](mailto:tschaus@4xem.com)



## Features:

- 2x USB-C ports
- Power Budget: 35W
- Wall mounted charger
- Compatible with any USB charged device
- Compact travel size
- Rounded edges
- Fast Charging



## Applications:

- Home
- Office
- Travel
- Meetings
- Classrooms
- Quick Charging



**4XEM Products Are Available At Your Favorite Online Retailers**



Warranty Information	Warranty	1 Year
Connector(s)	Charging Port(s) Power Source	2x USB Type-C Female Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Non-Retractable Prongs
Performance	Industry Standards Certifications	USB-PD 3.0 CE FCC
Physical Characteristics	Colour Display LED Indicator(s) Power Cable Length Product Height Product Width Product Length  Weight of Product	Black No None N/A 1.33 in [33.7 mm] 1.55 in [39.3 mm] 1.93 in [49.0 mm] 2.56 in [65.0 mm] (with power prongs) 2.75 oz [74 g]
Power	Total Power Budget Power Delivery Input Voltage Output Voltage (C1/C2) Output Voltage (C1) + (C2)	35W 35W Max 100-240VAC, 50Hz-60Hz @ 1A 35W: 5/9V 3A, 15V 2.33A, 20V 1.75A 35W MAX - 17.5W: 5V 2.4A, 9V 1.94A, 15V 1.16A, 20V 0.87A + 17.5W: 5V 2.4A, 9V 1.94A, 15V 1.16A, 20V 0.87A
Environmental	Operating Temperature Storage Temperature Humidity	32°F to 104°F [0°C to 40°C] -4°F to 176°F [-20°C to 80°C] 5% to 90% (non-condensing)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-Bag 4.00 in [101.6 mm] 3.00 in [76.2 mm] 1.33 in [33.9 mm] 2.68 oz [76 g]
What's in the Box	Included in Package	1x 35W Dual USB-C Charger
Notes	Notes	

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep**  
**1-866-999-4936 Ext.104    tschaus@4xem.com**

