# Product data sheet

Specification





# APC Replacement Battery Cartridge, VRLA battery, 10Ah, 48VDC, 2-year warranty

RBC43

Product availability: Stock - Normally stocked in distribution facility

#### Overview

Lead time Usually in Stock

### Main

Product or Component Type	Replacement battery cartridge	
Number of cables	1	
Battery Type	Lead-Acid battery	
Provided Equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure Reusable packaging Installation guide	

### **Batteries & Runtime**

Battery Slots Empty	0	
Included Battery Modules	0	
Device mounting	Enclosed battery cartridge	
Battery Voltage	48V	
RBC Quantity	1	

### **Physical**

Height	3.0 in (7.6 cm)
Width	8.5 in (21.6 cm)
Depth	21.0 in (53.3 cm)
Net Weight	42.09 lb(US) (19.09 kg)
Mounting Mode	Not rack-mountable
USB compatible	No

#### **Environmental**

Ambient Air Temperature for Operation	32104 °F (040 °C)	
Operating altitude	010000 ft	
Relative Humidity	095 %	
Ambient Air Temperature for Storage	5113 °F (-1545 °C)	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	
Storage Relative Humidity	095 %	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Ordering and shipping details

Category	11309-APC RESALE PRODUCTS	
Discount Schedule	APC1	
GTIN	731304218463	
Returnability	No	
Country of origin	CN	

## **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	9.016 in (22.900 cm)	
Package 1 Width	30.236 in (76.800 cm)	
Package 1 Length	15.512 in (39.400 cm)	
Package 1 Weight	45.085 lb(US) (20.450 kg)	
Unit Type of Package 2	P12	
Number of Units in Package 2	12	
Package 2 Height	31.496 in (80.000 cm)	
Package 2 Width	31.496 in (80.000 cm)	
Package 2 Length	47.244 in (120.000 cm)	
Package 2 Weight	566.941 lb(US) (257.160 kg)	

### **Contractual warranty**

Warranty 2 years repair or replace.



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

### Resource performance



Take-Back Program Available

### Well-being performance



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov