



APC Smart-UPS X External Battery Pack, Rack/Tower 2U, 120Vdc, W/rail kit

SMX120RMBP2U

Overview

Lead time Usually Ships within 2 Weeks

Main

product or component type	Battery	
Number of rack unit	2U	
Battery type	Lead-acid battery	
provided equipment	Installation guide Rack mounting brackets	
Range of product	Smart-UPS Battery Systems	

Batteries & Runtime

Number of battery blocks per string	10
device mounting	Enclosed battery cartridge
Number of battery filled slots	0
Number of battery free slots	0
Number of battery replacement quantity	2
Battery voltage	120 V
Replacement battery	APCRBC118 ☐

Physical

Colour	Black
Height	3.3 in (8.5 cm)
Width	17.008 in (43.2 cm)
Depth	26.3 in (66.7 cm)
net weight	124.25 lb(US) (56.36 kg)
mounting mode	Rack-mounted
USB compatible	No

Environmental

Ambient air temperature for operation	32.0000000000104.0000000000 °F (040 °C)	
Relative humidity	095 %	
Operating altitude	010000 ft	

Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)	
Storage Relative Humidity	095 %	
Storage altitude	0 50000 ft (0 000000000 15240 000000000 m)	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	9.6 in (24.3 cm)	
Package 1 Width	23.5 in (59.6 cm)	
Package 1 Length	34.2 in (86.9 cm)	
Package 1 Weight	140.30 lb(US) (63.64 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	6	
Package 2 Height	34.3 in (87 cm)	
Package 2 Width	39.4 in (100 cm)	
Package 2 Length	47.2 in (120 cm)	
Package 2 Weight	859.8 lb(US) (390 kg)	

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information