HP DesignJet Z9+ PostScript Printer series



Professional photo prints, fast and simple. More quality with fewer inks.



AMAZING—Deliver high quality with confidence

- Impress the most demanding customers with smooth transitions and sharp details thanks to HP Pixel Control.
- No need for light inks using new high-definition HP printheads with dual drop technology.
- Achieve expanded gamut with RGB HP Vivid Photo Inks and the embedded spectrophotometer.1
- Get superior gloss uniformity by upgrading your printer to include HP Gloss Enhancer.

FAST—Work without delays

- Cut post-processing labor time up to 20% with the first printer to include an integrated vertical
- Print up to 2.5 times faster⁴ without losing quality, with 2400 nozzle-per-inch highdefinition printheads.
- Spend less time on media changes and adjustments with dual roll support and automatic roll switching.3

SIMPLE—New tools for you and your customers

- Easily design applications from posters to banners and canvas with the HP Applications
- No disruption to your workflow, keep using your current RIPs, validated with HP RIP certification program.6
- Get remote visibility and control to better manage your print production environment with HP PrintOS.
- Enjoy one-click printing that also helps reduce media waste using HP Click printing software.

For more information, please visit http://www.hp.com/go/designjetZ9

Dynamic security enabled printer. Contains technology that may prevent cartridges with non-HP chips or circuitry from working now or in the future. More at: http://www.hp.com/learn/ds

¹ Embedded in the HP DesignJet Z9+ Printer series is an i1 spectrophotometer from X-Rite. Close collaboration between HP and X-Rite ensures a reliable solution that's been thoroughly tested to meet customer demands for ease, quality, and dependability.

² Based on internal HP testing, comparing to HP DesignJet Z9+ series printers without gloss enhancer. HP Gloss Enhancer can be used on photo paper, with the exception of matte-finish papers. Optional upgrade available

Furtical trimmer and dual rolls included with the HP DesignJet Z9+dr 44-in PostScript® Printer with V-Trimmer only. Up to 20% reduction in post-processing labor time based on internal HP testing compared to HP DesignJet Z9+dr series printers without built-in vertical trimmer.

Based on internal HP testing. Up to 2.5 times faster printing compared to the HP DesignJet Z3200 Photo Printer series. May vary depending on print mode and media type

Requires an HP Applications Center account, Internet connection, and connected Internet-capable device. For more information, see http://www.hpapplicationscenter. For a list of HP certified RIPs, visit: http://www8.hp.com/us/en/large-format-printers/designjet-printers/zseries-rips.html

⁷ Once image is selected, one-click printing when printing the entire file without any modifications to the print settings. Applicable to PDF, JPEG, TIFF, and HP-GL/2 files.

Technical specifications

Print					
Print speed	24-in: Fast: 55.7 m²/hr on plain media Normal: 13.4 m²/hr on coated media				
	Best: 3.5 m²/hr on glossy media 44-in:				
	Fast: 71.4 m²/hr on plain media Normal: 17.2 m²/hr on coated media Best: 4.5 m²/hr on glossy media¹				
Print resolution	Up to 2400 x 1200 optimized dpi				
Technology	HP Thermal Inkjet				
Margins	Roll: $5 \times 5 \times 5 \times 5$ mm (borderless on selected media ³ , or on all media with V-Trimmer ⁴) Sheet: $5 \times 17 \times 5 \times 5$ mm				
Ink types	Pigment-based				
Ink drop	7/3 pl dual-drop weight (M, C, PK, CB, G); 6 pl single-drop weight (Y, CR, MK, CG)				
Printheads	5 universal printheads (valid for all colors)				
Printhead nozzles	2112 per color; 21,120 in total				
Line accuracy	+0.1% ⁵				
Minimum line width	0.02 mm (PDF addressable @ 1200 dpi)				
Color accuracy	Median < 1.6 dE2000, 95% of colors < 2.8 dE2000 ⁷				
Short-term color stability	< 1 dE2000 in less than 5 minutes ⁸				
Long-term print-to-print repeatability	Average < 0.5 dE2000, 95% of colors < 1.4 dE2000 ⁸				
Max optical density	4 L* min/2.5 D8				
Media					
Handling	Single-roll: Roll feed, rear sheet feed, media output bin, automatic horizontal cutter Dual-roll: Two automatic roll feeds, smart roll-switching, top sheet feed, media output bin, automatic horizontal cutter				
Roll size	and vertical trimmer (cuts all HP Z-series printer-qualified media, including most canvas) 24-in: 279 to 610-mm 44-in: 279 to 1118-mm				
Sheet size	24-in: 210 x 279 to 610 x 1676 mm 44-in: 210 x 279 to 1118 x 1676 mm				
Standard sheets	24-in: A4, A3, A2, A1 44-in: A4, A3, A2, A1, A0				
Grammage	80 to 500 g/m ²				
Thickness	Up to 0.8 mm				
Applications	Digital fine art; Exhibition and event graphics; Graphics design; Photos; Point of sale/display; Posters				
Memory	128 GB (virtual) ⁹				
Hard disk	500 GB self-encrypting				
Connectivity Interfaces	Gigabit Ethernet (1000Base-T) (802.3, 802.3u, 802.3ab); Hi-Speed USB 2.0 certified interface for direct printing from USB flash drive				
Netice exist les execus					
Native print languages Printing paths	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, CALS G4, HP-GL/2, HP-RTL Apple AirPrint, direct printing from USB flash drive, email printing, HP Click, HP driver for macOS, HP driver for Windows, HP driver for Linux, printing support for Chrome OS, HP Print Service Plugin for Android, HP Smart app for iOS and Android,				
Drivers	HP SmartStream Raster and PostScript drivers for Windows and macOS PDF driver for Windows 8 and above				
Security features	HP Secure Boot, Whitelisting, Role Based Access Control, SNMPv3, HTTPS, Secure-IPP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/1.2, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible,				
Dimensions (W x D x H)	Secure Disk erase (DoD 5220.22-M), Secure File erase, self-encrypted HDD, PIN printing				
Printer	24-in: 1293 x 695 x 998 mm 44-in: 1802 x 695 x 998 mm				
Shipping	24-in: 1440 x 766 x 718 mm 44-in: 1950 x 766 x 718 mm				
Weight					
Printer	72-98 kg				
Shipping	102-137 kg				
What's in the box	HP DesignJet Z9+ PostScript Printer, printheads, introductory ink cartridges, printer stand and media bin, spindle, 3-in core adapter 10, quick reference guide, setup poster, power cord				
HP Software and solutions	HP Click printing software, HP PrintOS, HP Web Jetadmin, HP DesignJet Utility including HP Color Center, HP Partner Link, HP JetAdvantage Security Manager (optional), HP SmartStream (optional), HP SmartTracker (optional)				
Environmental ranges					
Operating temperature	5 to 40°C				
Operating humidity	20 to 80% RH				
Storage temperature	-25 to 55°C				
Acoustics					
Sound pressure	42-45 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep)				
Sound power	6.0-6.3 B(A) (operating), 5.1 B(A) (idle), <3.4 B(A) (sleep)				
Power	100W(nished) 22W(nished) (5 FW(nished) 23W(nished)				
Consumption	<100 W (printing); <32 W (ready); <6.5 W (sleep); 0.1 W (off)				
Requirements	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max				

Certification				
Safety	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Khazakstan (EAC); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS)			
Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC), South Africa (SABS)			

ENERGY STAR; ErP; WEEE; RoHS (EU, China, Korea, India); REACH; EPEAT

3 Years Limited Warranty (Return to HP/Dealer - Unit Exchange)

Ordering information

UD Docigo lot 70± 24 in DoctScript Dript

Product

Environmental

Warranty

W3Z71D	HP DesignJet Z9+ 24-in PostScript Printer
W3Z72A	HP DesignJet Z9+ 44-in PostScript Printer
W3772F	HP DesignJet Z9+ 44-in PostScript Printer
X9D24A	HP DesignJet Z9+dr 44-in PostScript Printer with V-Trimmer
X9D24B	HP DesignJet Z9+dr 44-in PostScript Printer with V-Trimmer TAA Compliant
X9D24F	HP DesignJet Z9+dr 44-in PostScript Printer with V-Trimmer
Accessories	
1QF38A	HP DesignJet 44-in Take-up Reel

QF38A	HP DesignJet 44-in Take-up Reel
QX55A	HP Gloss Enhancer Upgrade Kit
EK00A	HP HD Pro 2 42-in Scanner
EK01A	HP SD Pro 2 44-in Scanner
N538A	HP DesignJet 3-in Core Adapter
Q783A	HP DesignJet 24-in Spindle
IPDJSOL	HP DesignJet Printing Solutions
IPPRINTOSSOL	HP PrintOS Solution
67004	UD Docian lot 44 in Spindle

Original HP printing supplies

3WX35A	HP 746B 300-ml Photo Black DesignJet Ink Cartridge
3WX36A	HP 746B 300-ml Cyan DesignJet Ink Cartridge
3WX37A	HP 746B 300-ml Magenta DesignJet Ink Cartridge
3WX38A	HP 746B 300-ml Yellow DesignJet Ink Cartridge
P2V25A	HP 746 DesignJet Printhead
P2V81A	HP 746 300-ml Chromatic Red DesignJet Ink Cartridge
P2V83A	HP 746 300-ml Matte Black DesignJet Ink Cartridge
P2V84A	HP 747 300-ml Chromatic Green DesignJet Ink Cartridge
P2V85A	HP 747 300-ml Chromatic Blue DesignJet Ink Cartridge
P2V86A	HP 747 300-ml Gray DesignJet Ink Cartridge
P2V87A	HP 747 300-ml Gloss Enhancer DesignJet Ink Cartridge

Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit hp.com/go/OriginalHPinks.

Original HP large format printing materials

GSS91A HD (inhiersal instant-dry Satin Photo Paper (FSC® certified)¹¹ (Recyclable)¹² 1067 mm x 30.5 m (42 in x 100 ft) (42 in x 100 ft) (42 in x 100 ft) (43 in x 100 ft) (43 in x 100 ft) (44 in x 50 ft) (45 in x 100 ft) (46 in x 100 ft) (47 in x 100 ft) (47 in x 100 ft) (47 in x 100 ft) (48 in x 100 ft) (48

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

U7VB9E HP Installation Service Moderate Level
U92CT IE HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9 24in
U92AGE HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9 44in
U92F7E HP 3 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9dr
44in

44in
U9ZC3E HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9 24in
U9ZA8E HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9 44in
U9ZF9E HP 5 year Next Business Day with Defective Media Retention Support for HP DesignJet Z9dr

44in

USYC4PE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP

DesignJet Z9 24in

USYA9PE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP

DesignJet Z9 44in

USYC0PE HP 1 year Post Warranty, Next Business Day with Defective Media Retention Support for HP

DesignJet Z9dr 44in

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit http://www.hp.com/go/cpc

ECO highlights

- ENERGY STAR® certified¹, EPEAT® registered as environmentally preferable product²
 Breakthrough color consistency can help reduce unnecessary reprints
 Printer made from 30% post-consumer recycled plastic; free HP printing supplies recycling³
 FSC®-certified papers³, range of recyclable HP media with a take-back program³

Please recycle large-format printing hardware and printing supplies. Find out how at our website: http://www.hp.com/ecosolutions

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmenta Protection Agency.

EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

Program availability varies. Please check http://www.hp.com/recycle for details.

BMG trademark license code FSC®-C115319, see http://www.fs.corg. HP trademark license code FSC®-C10543, see http://www.fs.corg. Not all FSC®-certified products are available in all regions.

HP Large Format Media take-back program availability varies. Some recyclable HP papers can be recycled through commonly available recycling programs. Recycling programs may not exist in your area. See http://www.HPLFMedia.com/hp/ecosolutions for details.

1 Maximum rate of output for color image 100% color coverage. Printed on maximum roll size, with Original HP Vivid Photo Inks.
2 Mechanical printing time with Original HP Vivid Photo Inks. Measured on a 44-in printer.
3 Borderless printing available on photo gloss, photo satin, polypropylene, and backlit roll media.
4 Except self-adhesive vinyls and non-cuttable media.
5 20,1% of the specified vector length or ±0,2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on AD/E HP Matte Film in Best or Normal mode with HP Vivid Photo Inks.

7 ICC absolute colorimetric accuracy on HP Premium Instant-dry Satin Photo Paper with HP Vivid Photo Inks.

ICC absolute colorimetric accuracy of the Pretination and a second program in the Second Program

















