Product data sheet

Specifications



APC NetShelter SX Server Rack Gen 2, 45U, 2124H x 600W x 1200D mm, with Sides, Black

AR3305B2

Overview

Lead time

Usually in Stock

Main

product or component type	Rack enclosure
Number of rack unit	45U
Provided equipment	Baying hardware
	Key(s)
	Keyed-alike doors and side panels
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels

Physical

-	
Height	83.6 in (212.4 cm)
Width	23.6 in (60 cm)
Depth	47.2 in (120 cm)
net weight	303.89 lb(US) (137.84 kg)
Colour	Black
Mounting preference	No preference
mounting mode	Not rack-mountable
Maximum mounting depth	41.3 in (104.8 cm)
minimum mounting depth	7.50 in (19.05 cm)
rack width	19"
Marking	14 gauge EIA mounting rail
Permanent permissible load	2250 lb(US) (1020.6 kg) dynamic 4000 lb(US) (1814.4 kg) static

Conformance

Standards

UL 2416 EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	89.06 in (226.2 cm)

Package 1 Width	29.4 in (74.8 cm)	
Package 1 Length	52.09 in (132.3 cm)	
Package 1 Weight	349.2 lb(US) (158.4 kg)	

Contractual warranty

Warranty

5 year repair or replace

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations