Zebra® Supplies ZipShip℠ Price List

ZEBRA TECHNOLOGIES

SEE MORE. DO MORE.

Zebra is one of the largest converters of thermal supplies in North America. Featuring the largest selection of pre-tested, high-quality labels, tags, receipt paper, wristbands, cards and ribbons, Zebra can provide a solution for virtually any application.

Prices Effective September 8, 2014

Zebra Zip Ship Media

SEE MORE.
DO MORE.

Zebra™ Zip Ship℠ Ships from Four Convenient Locations



...e range of materials from
...ized and CSA component

...ays.
...ora for most current version.

...matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni...

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d...

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb...

Zebra Zip Ship Media

SEE MORE.
DO MORE.

Price List Updates

New Items

matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb

SEE MORE. DO MORE.

Price List Updates

New Items (cont.)



Wristband Media – Non-Printable

Vinyl Infant Wristband Solutions *(page 52)*
PS-BABY, PS-INFANT-ADJ

ComfyCuff *(page 52)*
LB2-BABY-P

ComfyCuff Infant SwaddleBand *(page 52)*
LB2-BABY-SWB9

ComfyCuff Security Seal *(page 52)*
LB2-BABY-CCS

Tabletop/Industrial Ribbon

6000 Wax Ribbons *(page 56)*

Zebra Zip Ship Media

SEE MORE. DO MORE.

Price List Updates

Discontinued Items

Tabletop/Industrial Printer Media

8000T Heat Seal Kit

10002539, 10002540

Mobile Media

PolyPro 4000D

10017581, 10017582

Mobile Ribbons

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb

Zebra Zip Ship Media

SEE MORE. DO MORE.

Table of Contents

Printer Media Specifications……6

Tabletop/Industrial Media……7-17

Tabletop/Industrial RFID Media 18

…e range of materials from …ized and CSA component …

…ays. …ora for most current version.

…matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni…

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d…

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb…

Zebra Zip Ship Media

SEE MORE. DO MORE.

Printer Media Specifications

Printer	Core Size Inches	Max OD Inches	Min Media Width Inches	Max Media Width Inches	Min Label Caliper Mil*	Max Label Caliper Mil*
4.50	3	10	S4M™	1/3	6/8	0.75
4.50	2.3	10	Z4MPlus™	3	8	1.00
7.00	2.3	10	Z6MPlus™	3	8	2.00



...e range of materials from ...l and CSA component ...

...matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni...

For information on your printer media specifications, please refer to page 6.

...ora for most current version.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d...

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb...

Zebra Zip Ship Media

SEE MORE. DO MORE.

Tabletop/Industrial Printers

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
3	x	1	10000303*	5,500	6	26 lbs.	x		x	x
4	x	2	10003051*	2,760	4	26 lbs.	x	x	x	x
4	x	3	10000302*	2,000	4	26 lbs.	x		x	x
4	x	6	10000301*	1,000	4	26 lbs.	x	x	x	x
4	x	6	10015366*^	2,000	2	30 lbs.	x			
4	x	6.50	10000300*	900	4	26 lbs.	x			

* Perforation between labels ^Fanfold

Z-Perform 2000D

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
2	x	1	10000298*	5,500	8	26 lbs.	x	x		x
2.25	x	1.25	10000297*	4,350	8	27 lbs.		x		
3	x	1	10000296*	5,500	6	26 lbs.	x	x		x
3	x	2	10000295*	2,750	6	26 lbs.		x		x
4	x	2	10012164	2,720	4	26 lbs.	x			x
4	x	2	10015365*	2,719	4	26 lbs.	x			
4	x	2.50	10000294*	2,280	4	26 lbs.	x	x		x
4	x	3	10000293*	2,000	4	26 lbs.	x	x	x	x
4	x	4	10000292*	1,500	4	26 lbs.		x	x	x
4	x	6	10000290*	1,000	4	26 lbs.	x	x	x	x
4	x	6.50	10000289*	900	4	26 lbs.	x	x		x

Z-Perform 2000D with Rubber Adhesive

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight	WI	GA	TX	CA
4	x	6	10018341*	1,000	4	26 lbs.	x	x	x	x
4	x	6	10021199*^	2,000	2	26 lbs.	x	x	x	x

* Perforation between labels ^Fanfold

ıe range of materials from
ized and CSA component

ays.
ora for most current version.

matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb

Zebra ZipShip Ribbons

SEE MORE. DO MORE.

Desktop Ribbons

For use with all 4" desktop printers

3200 Wax/Resin Ribbons

A high-performance wax/resin ribbon for use with Zebra thermal transfer printers. Provides outstanding durability, print quality, Chemical

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.50"	64mm	244'	74m	03200GS06407	12	12	2 lbs.	x	x	x	x
3.30"	84mm	244'	74m	03200GS08407	12	12	3 lbs.	x	x	x	x
4.33"	110mm	244'	74m	03200GS11007	12	12	3 lbs.	x	x	x	x

5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Core: 0.5" ID

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.50"	64mm	244'	74m	05586GS06407	12	48	8 lbs.	x	x	x	x
3.30"	84mm	244'	74m	05586GS08407	12	48	10 lbs.	x	x		x
4.33"	110mm	244'	74m	05586GS11007	12	48	12 lbs.	x	x	x	x

6200 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.52"	64mm	244'	74m	06200GS06407	48	48	8 lbs.	x	x	x	x
3.31"	84mm	244'	74m	06200GS08407	48	48	10 lbs.	x	x	x	x
4.33"	110mm	244'	74m	06200GS11007	48	48	12 lbs.	x	x	x	x

5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.50"	64mm	244'	74m	05095GS06407	12	48	8 lbs.	x	x	x	x
3.30"	84mm	244'	74m	05095GS08407	12	48	10 lbs.	x	x	x	x
4.33"	110mm	244'	74m	05095GS11007	12	48	12 lbs.	x	x	x	x

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb

Zebra ZipShip Ribbons

SEE MORE. DO MORE.

Desktop Ribbons

For use with all 4" desktop printers

5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.50"	64mm	244'	74m	05100GS06407	12	48	8 lbs.	x	x		x
3.30"	84mm	244'	74m	05100GS08407	12	48	10 lbs.	x	x		x
4.33"	110mm	244'	74m	05100GS11007	12	48	12 lbs.	x	x	x	x

Image Lock Resin Ribbon

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.50"	64mm	244'	74m	74941	12	48	8 lbs.	x	x		
3.30"	84mm	244'	74m	74942	12	48	10 lbs.	x	x		
4.33"	110mm	244'	74m	74943	12	48	12 lbs.	x	x	x	

Note: Minimum Order – 12 rolls

matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb

Zebra ZipShip Ribbons

SEE MORE. DO MORE.

Desktop Ribbons

For use with TLP 2824 / TLP 2824 Plus printers

5319 Wax Ribbons

A performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
1.30"	33mm	244'	74m	800132-001	12	48	7.5 lbs.	x	x	x	
2.25"	57mm	244'	74m	800132-002	12	48	8 lbs.	x	x	x	x

3200 Wax/Resin Ribbons

A high-performance wax/resin ribbon for Zebra thermal transfer printers. Provides outstanding barcode print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
1.30"	33mm	244'	74m	800132-101	12	12	2 lbs.	x	x		
2.25"	57mm	244'	74m	800132-102	12	12	3 lbs.	x	x	x	x

5095 Resin Ribbons

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
1.30"	33mm	244'	74m	800132-201	12	48	7.5 lbs.	x	x	x	x
2.25"	57mm	244'	74m	800132-202	12	48	8 lbs.	x	x		x

5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
1.30"	33mm	244'	74m	05100NT03307	12	48	7.5 lbs.	x	x		
2.25"	57mm	244'	74m	05100NT05707	12	48	8 lbs.	x	x		

NT: No Reflective Trailer

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb

SEE MORE. DO MORE.

Desktop Ribbons

For use with GT800 printer - Latin America and China only

2000 Wax Ribbons

A standard thermal transfer wax ink formulation for printing high-quality, durable barcodes on Zebra's coated paper label stock. Prints

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.52"	64mm	984'	300m	02000GT06430	24	24	13 lbs.			x	x
3.31"	84mm	984'	300m	02000GT08430	24	24	16 lbs.			x	x
4.33"	110mm	984'	300m	02000GT11030	24	24	21 lbs.			x	x

5555 Wax/Resin Ribbons

A standard thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.52"	64mm	984'	300m	05555GT06430	24	24	13 lbs.			x	x
3.31"	84mm	984'	300m	05555GT08430	24	24	16 lbs.			x	x
4.33"	110mm	984'	300m	05555GT11030	24	24	21 lbs.			x	x

5095 Resin Ribbons

A high-performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni

Width		Length			Quantity Per		Outer Box				
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
2.52"	64mm	984'	300m	05095GT06430	24	24	13 lbs.		x	x	x
3.31"	84mm	984'	300m	05095GT08430	24	24	16 lbs.		x	x	x
4.33"	110mm	984'	300m	05095GT11030	24	24	21 lbs.		x	x	x

Zebra ZipShip Ribbons

SEE MORE. DO MORE.

Mobile Ribbons

For use with the P4T and RP4T printers

5555 Wax/Resin Ribbon

A standard thermal transfer wax/resin ink formulation for printing barcodes on Zebra coated paper. Provides a clear image under harsh conditions.

Width		Length			Quantity Per	Outer Box					
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	98'	30m	05555BK110D	10	10	2 lbs.	x	x	x	x

5095 Resin Ribbon

A high-performance resin ribbon for printing high-density barcodes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni

Width		Length			Quantity Per	Outer Box					
(Inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	98'	30m	05095BK110D	10	10	2 lbs.	x	x	x	x

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb

SEE MORE. DO MORE.

Specialty Printer Ribbons

For use with PAX4 printers

2100 Wax Ribbons

A high-performance wax ribbon that provides excellent print quality for normal and rotated barcodes on coated and uncoated lab

Rubber Adhesive (page 3)

Desktop RFID Printer Media

Width		Length			Quantity Per		Outer Box				
(inches)	(mm)	(Feet)	(m)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	2,955'	900m	02100BK11090	6	6	13 lbs.	M			
5.16"	131mm	2,955'	900m	02100BK13190	6	6	15 lbs.	M			
6.16"	156mm	2,955'	900m	02100BK15690	6	6	18 lbs.	x	x		x
6.85"	174mm	2,955'	900m	02100BK17490	6	6	20 lbs.	x	x		

Tabletop/Industrial Ribbon Cores

Replacement Core Kit

For use with ZT200 series printers

Replacement take-up cores for use with ZT200 series tabletop printers. Cores are packaged 12 units per kit.

Width			Quantity Per		Outer Box				
(Inches)	(mm)	Part #	Carton	Outer Box	Weight	WI	GA	TX	CA
4.33"	110mm	10015353	12	12	2 lbs.	x			

ıe range of materials from
ized and CSA component

ays.
ora for most current version.

matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recogni

For information on your printer media specifications, please refer to page 6.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business d

Prices effective Sep. 8, 2014. Prices and stocking locations subject to change w/o notice. Refer to Access Zeb

REDUCE TICKET FRAUD AND REVENUE LOSS

Z-Band® Fun

Z-Band® Splash

Discover the advantages. Visit www.zebra.com

ZEBRA TECHNOLOGIES

›