

Product data sheet

Specifications



Power Cord Kit (6 ea), Locking, C13 to C14, 1.8M (6ft), North America, Blue

AP8706S-NAX590

Overview

Lead time Usually in Stock

Main

Product or Component Type Power cord

Physical

Color Blue

Height 9.4 in (24 cm)

Width 3.0 in (7.5 cm)

Depth 2.2 in (5.5 cm)

Net Weight 2.98 lb(US) (1.35 kg)

Mounting preference No preference

Mounting Mode Not rack-mountable

Conformance

Product Certifications CSA
UL Listed

Environmental

Ambient Air Temperature for Operation 32.0000000000...221.0000000000 °F (0...105 °C)

Relative Humidity 20...80 %

Operating altitude 0...10000 ft

Ambient Air Temperature for Storage -13.0000000000...221.0000000000 °F (-25...105 °C)

Storage Relative Humidity 20...80 %

Storage altitude 0...50000 ft (0.0000000000...15240.0000000000 m)

Ordering and shipping details

GTIN 731304326403

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 9.4 in (24 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	2.2 in (5.5 cm)
Package 1 Length	3.0 in (7.5 cm)
Package 1 Weight	2.98 lb(US) (1.35 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation REACH Declaration

Eu Rohs Directive Compliant
EU RoHS Declaration

Environmental Disclosure Product Environmental Profile

Circularity Profile End of Life Information
