



Part No	90NX05R1-M00520
Model Name	CX3401FBA-YZ566T-S
EAN Code	4711387053416
UPC Code	197105053410
Operating System	Chrome
LCD cover-material	Plastic
LCD cover-color	ZINC
Top case-material	Plastic
Top case-color	ZINC
Bottom case-material	Plastic
Bottom case-color	ZINC
Military grade	US MIL-STD 810H military-grade standard
Panel Size	14.0-inch
Backlit	LED Backlit
Brightness	300nits
Resolution	WUXGA (1920 x 1200) 16:10

Glare	Glossy display
Color gamut	NTSC: 45%
View angle(H/V)	170/170
Response time(Typ/Max) (ms)	20/25
Refresh rate	60Hz
Contrast (Typ)	800:1
Touch Panel	Touch screen
IPS-level	Wide view
Processor	Intel® Core™ i5-1235U Processor 1.3 GHz (12M Cache, up to 4.4 GHz, 10 cores)
Chipset	N/A
Discrete/Share	Share
Integrated GPU	Intel Iris X ^e Graphics (available for Intel® Core™ i5/i7/i9 with dual channel memory)
VRAM	N/A
Expansion Slot(includes used)	N/A
On board memory	16GB LPDDR4X on board
Total System Memory	LPDDR4X 16GB
Storage	256GB M.2 NVMe™ PCIe® 3.0 SSD
SSD Cache	N/A
Front-facing camera	720p HD camera With privacy shutter
Wireless	Wi-Fi 6E(802.11ax) (Dual band) 2*2 + Bluetooth® 5.1 (BT version may change with OS version different)
NumberPad	N/A
ScreenPad	N/A
FingerPrint	N/A
Keyboard type	Backlit Chiclet Keyboard
I/O ports	1x USB 3.2 Gen 2 Type-A 2x USB 3.2 Gen 2 Type-C support display / power delivery 1x HDMI 2.1 1x 3.5mm Combo Audio Jack Micro SD 4.0 card reader
Audio	Built-in speaker Built-in array microphone harman/kardon (Premium)
Voice control	with Google Assistant voice-recognition support
Battery	63WHrs, 3S1P, 3-cell Li-ion
Replaceable Battery	No
AC Adapter	TYPE-C, 45W AC Adapter, Output: 15V DC, 3A, 45W, Input: 100~240V AC 50/60Hz universal

Dimension (WxHxD)	31.95 x 23.49 x 2.09 ~ 2.09 cm
Weight (with Battery)	1.80 kg
Weight (w/o Battery)	1.60 kg
Security	Kensington Nano Security Slot™ Titan C Security Chip N/A
MyASUS feature	N/A
Built-in Apps	N/A
Disclaimer for Built-in Apps	Built-in Apps vary from OS SKU.
Included in the Box	USI 1.0 garaged stylus
Reparability Index (for France)	0.0
CSID	1Y PUR