

Spec Sheet

4 Port Rack Mountable USB KVM Switch with Audio & USB 2.0 Hub

StarTech ID: SV431USBAE



This Rack Mountable USB KVM Switch supports high resolution video applications (up to 1920x1440 pixels supported) and audio switching between connected computers, and provides an integrated USB 2.0 hub that lets the selected computer have access shared high speed USB peripherals.

Providing control of up to four computers from a single USB keyboard and mouse peripheral set, the switch features a sturdy all metal chassis and can be rackmounted in a server rack/cabinet using an optional <u>Rackmount Bracket kit</u> (SV431RACK) - minimizing clutter and saving space.

Applications

- Control up to four computers, sharing a single keyboard, mouse, monitor and speakers.
- Integrated USB 2.0 hub allows you to share up to three USB peripherals between the four computers.

Features

- Designed for high-resolution applications: up to 1920x1440 pixels supported
- All metal chassis for long-term durability
- Integrated USB 2.0 hub allows you to share up to three high-speed USB devices between computers
- Audio switching with microphone and speaker connectivity
- Auto-scan function automatically selects computer sequentially
- Compatible with all USB supported Operating Systems
- Front panel push button computer selection

www.startech.com 1 800 265 1844

StarTechcom

Hard-to-find made easy®

Spec Sheet

Technical Specifications

Warranty	3 Years
Audio	Yes
Cables Included	No
Daisy-Chain	No
KVM Ports	4
Multi-Monitor	No
PC Interface	USB
PC Video Type	VGA
Rack-Mountable	Optional
U Height	1U
DVI Support	No
Hot-Key Selection	No
IP Control	No
Maximum Analog Resolutions	s 1920x1440
Maximum Number of Users	1
Port Selection Support	Push Button
Console Interface(s)	1 - VGA (15 pin; High Density D-Sub) Female
Console Interface(s)	2 - 3.5 mm Mini-Jack (3 Position) Female
Console Interface(s)	2 - USB A (4 pin) Female
Host Connectors	4 - USB B (4 pin) Female
Host Connectors	4 - VGA (15 pin; High Density D-Sub) Male
Host Connectors	8 - 3.5 mm Mini-Jack (3 Position) Female
Other Interface(s)	2 - USB A (4 pin) Female
OS Compatibility	OS independent; No software or drivers required
Center Tip Polarity	Positive
Input Current	0.4A
Input Voltage	110 ~ 240 AC
Output Current	2A
Output Voltage	5 DC
Plug Type	Μ
Plug Type	Ν
Power Source	AC Adapter Included
Color	Black



Hard-to-find made easy®

Spec Sheet

Enclosure Type	Steel
Product Height	1.8 in [44.5 mm]
Product Length	8.7 in [220 mm]
Product Weight	36.4 oz [1031 g]
Product Width	5.1 in [130 mm]
Shipping (Package) Weight	3.7 lb [1.7 kg]
Included in Package	1 - 4 Port USB KVM Switch With Audio
Included in Package	1 - Pack Rubber Feet
Included in Package	1 - Power Adapter
Included in Package	1 - Manual

Certifications, Reports and Compatibility





www.startech.com 1 800 265 1844