

# Product datasheet

Specifications



## UPS Communications Cable Simple Signalling USB to RJ45

AP9827

### Overview

Lead time Usually in Stock

### Main

Cable length 1.8 m

Number of cables 1

### Physical

Colour Black

Net weight 0.46 kg

Mounting location Front

Mounting mode Not rack-mountable

Cable end 2 USB 2.0 type A

Cable end 1 RJ45

### Output

Number of port 0

### Environmental

Storage Relative Humidity 0...95 %

Storage altitude 0.0000000000...15240.0000000000 m

Ambient air temperature for operation 0...45 °C

Relative humidity 0...95 %

Operating altitude 0...10000 ft

Ambient air temperature for storage -15...45 °C

### Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 22.9 cm

Package 1 Width 5.1 cm

Package 1 Length 10.2 cm

Package 1 Weight 0.46 kg

# Contractual warranty

---

Warranty

2 years repair or replace

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

 Energy Efficient Product

 Take-Back Program Available

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

[End of Life Information](#)