Product data sheet

Specifications



APC Rack PDU, 2G, metered, 0U, 17.2kW, 208V, 30 C13 sockets

AP8867

Overview

Lead time Usually in Stock

Main

Color	Black
Product or Component Type	PDU
PDU Type	Metered
Cord length	6 ft (1.8 m)
Number of cables	1
Provided Equipment	Installation guide Rack Mounting brackets Serial configuration cable Safety guide

Complementary

•	
Input Voltage	208 V 3 phase
Height	72.008 in (182.9 cm)
Width	2.2 in (5.6 cm)
Output Voltage	208 V
Depth	2.008 in (5.1 cm)
Net Weight	22.5 lb(US) (10.2 kg)
Mounting Location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 60 A 3P+PE
Mounting Mode	Not rack-mountable
Rack units	0U
Mounting position	Vertical
Line Rated Current	48 A
Max line current	48 A
Input current limits	60 A
Load Capacity	17300 VA
Input Frequency	50/60 Hz
Outlet type and quantity	30 IEC 60320 C13

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environment

Product Certifications	cUL Listed	
	UL Listed	
	VCCI Class A	
Standards	EN 55022 Class A	
	EN 55024	
	EN 61000-3-2	
	EN 61000-3-3	
	FCC Part 15 class A	
Ambient Air Temperature for Operation	23140 °F (-560 °C)	
Relative Humidity	595 %	
Operating altitude	010000 ft	
Ambient Air Temperature for Storage	-13149 °F (-2565 °C)	
Storage Relative Humidity	595 %	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	

Ordering and shipping details

GTIN	731304289913
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	84.6 in (214.9 cm)
Package 1 Width	4.4 in (11.2 cm)
Package 1 Length	8.7 in (22.1 cm)
Package 1 Weight	30.97 lb(US) (14.05 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Energy Efficient Take-back RoHS/REACh

Resource performance

$ \bigcirc $	Energy Efficient Product	
⊘	Take-Back Program Available	

Well-being performance

Well being performance		
⊘	Lead Free	
⊘	Mercury Free	
②	Rohs Exemption Information	Yes
		Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Circularity Profile	End of Life Information