

# Epson TM-m30III (111): Standard Model, White, EU



Designed to meet the needs of users such as specialist shops, small restaurants, coffee shops, food trucks and kiosks.

Based on a stylish and ultra-compact design, and with a host of advanced features, the TM-m30III is a perfect combination of mobility, connectivity, reliability and ease-of-use. Providing cost-effective and reliable receipt printing in any environment where space is an issue, it's designed to meet the needs of a wide range of growing businesses.

#### **Space-efficient , robust and reliable**

With an all-new, highly compact, super-sleek design, which reflects today's demand for a clean and modern aesthetic, the TM-m30III is also robust and reliable, with a range of connectivity options.

#### **Easy connectivity and increased power delivery**

Including a USB Type-C PD (Power Delivery) tablet port, now able to supply up to 18W of power to the connected device, the TM-m30III works with most smart devices, and also offers 20Mbps network tethering, which allows the wired network connection to the printer to be shared. A Wi-Fi and Bluetooth option is also available (See TM-m30III Wireless version).

#### **Built for tough environments**

Offering protection against the harmful ingress of liquids to IPX2 standards, the TM-m30III has also been designed with easy cleaning in mind, and is externally treated with an ISO22196-certified antibacterial material, making it ideal for challenging environments such as kitchens.

#### **Easy, reliable code scanning**

The TM-m30III includes superior de-curl functionality, able to produce flattened receipts with no reduction in print speed. This is particularly useful in applications where code-scanning is important, such as event ticketing, or for producing documents that require a signature.

#### **Boosts speed and efficiency**

Offering reliable paper roll near-end detection, which operates with the printer oriented for either front or top paper exit positions, the TM-m30III is ideal for semi-attended applications, such as kiosks or self-checkout, where prompt paper replacement avoids unnecessary downtime.

#### **Easy set-up, excellent support**

The printer is supplied with a "quick start" sheet that offers a simple and effective setup guide, while scannable QR-codes link to videos that cover all processes, from unpacking to power on, as well as basic configuration tasks. Expert Epson support is available for iOS, Android and Windows.

## KEY FEATURES

- **Stylish, all-new design**  
Ultra-compact, sleek, reliable and affordable
- **Improved mobile connectivity**  
Includes a USB Type-C PD tablet connection with 18W capability
- **Designed for efficiency**  
Features a paper near-end detector and superior decurling mechanism
- **Built for tough environments**  
IPX2 protection against liquids, plus antibacterial surface treatment
- **Wider platform support**  
Now supports Windows and Android, as well as iOS

## PRODUCT SPECIFICATIONS

### INTERFACES

Interfaces	USB 2.0-A, USB Type-C, Ethernet interface (100 Base-TX / 10 Base-T), Micro SD Card Slot, USB 2.0 Type B (Service Only), Wireless LAN IEEE 802.11a/b/g/n/ac (optional), Drawer kick-out, Wi-Fi Direct (optional), Near Field Communication (NFC)
Tablet Charge & Sync	1x

### PRINT TYPE

Print method	Thermal line printing
Print method receipt	Thermal line printing
Technology	Thermal Line

### PRINT

Printing Speed	Max. 300 mm/sec at 203 x 203 DPI ( printing width80 mm)
Printing Resolution	203 x 203 DPI
Barcodes	Coda bar (NW-7), Code 128, Code 39, Code 93, Composite Symbology, Data Matrix, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, JAN13, JAN8, MaxiCode, PDF417, Dimensional code, UPC-A, UPC-E

### FONTS & STYLES

Print Speed receipt	300 mm/sec
---------------------	------------

### PAPER

Paper Types	Receipt, Roll
Paper Thickness	48 1/2mm - 80 1/2mm

### GENERAL

Product dimensions	127 x 127 x 130 mm (Width x Depth x Height)
Product weight	1.3 kg
Autocutter	Yes Included
Colour	White
Noise Level	Operation (Roll):53 dB (A)
Power consumption	Printing: Appx.1 W, Standby: Appx.31 W
Power Supply	External
Reliability	MTBF: 360,000 Hours , MCBF: 65,000,000 passes

### ROLL PAPER UNIT

Print Speed receipt	300 mm/sec
Dot density receipt	203 DPI x 203 DPI

### SUPPORTED MEDIA

Formats	Roll 57mm, Roll 80mm
Width	Min58 mm, Max 80 mm

### OTHER

Warranty	24 months Carry in Optional warranty extension available
----------	---

## PRODUCT SPECIFICATIONS

### INTERFACES

Interfaces	USB 2.0-A, USB Type-C, Ethernet interface (100 Base-TX / 10 Base-T), Micro SD Card Slot, USB 2.0 Type B (Service Only), Wireless LAN IEEE 802.11a/b/g/n/ac (optional), Drawer kick-out, Wi-Fi Direct (optional), Near Field Communication (NFC)
Tablet Charge & Sync	1x

### PRINT TYPE

Print method	Thermal line printing
Print method receipt	Thermal line printing
Technology	Thermal Line

### PRINT

Printing Speed	Max. 300 mm/sec at 203 x 203 DPI ( printing width80 mm)
Printing Resolution	203 x 203 DPI
Barcodes	Coda bar (NW-7), Code 128, Code 39, Code 93, Composite Symbology, Data Matrix, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, JAN13, JAN8, MaxiCode, PDF417, Dimensional code, UPC-A, UPC-E

### FONTS & STYLES

Print Speed receipt	300 mm/sec
---------------------	------------

### PAPER

Paper Types	Receipt, Roll
Paper Thickness	48 1/2mm - 80 1/2mm

### GENERAL

Product dimensions	127 x 127 x 130 mm (Width x Depth x Height)
Product weight	1.3 kg
Autocutter	Yes Included

Colour	White
Noise Level	Operation (Roll):53 dB (A)
Power consumption	Printing: Appx.1 W, Standby: Appx.31 W
Power Supply	External
Reliability	MTBF: 360,000 Hours , MCBF: 65,000,000 passes

#### ROLL PAPER UNIT

Print Speed receipt	300 mm/sec
Dot density receipt	203 DPI x 203 DPI

#### SUPPORTED MEDIA

Formats	Roll 57mm, Roll 80mm
Width	Min58 mm, Max 80 mm

#### OTHER

Warranty	24 months Carry in Optional warranty extension available
----------	---

#### LOGISTICS INFORMATION

SKU	C31CK50111
EAN code	8715946703930
Country of Origin	Philippines
Layer	14 Units
Layer Block	20 Units

## Epson TM-m30III (111): Standard Model, White, EU

#### WHAT'S IN THE BOX

- AC adapter
- AC cable
- Main unit
- Quick Start Guide
- Roll paper
- Paper roll spacer
- Setup guide

#### OPTIONAL ACCESSORIES

- OT-BZ20-634: Optional External Buzzer  
C32C890634
- Wall hanging unit for TM-m30 Series  
C32C881017
- Epson OT-WL06-323: Wireless LAN dongle 2.4/5GHz WE/CE  
C32C891323

For more information please contact:

Home users: 0343 90 37766

Business users\*: 0871 42 37766

Republic of Ireland: 01 436 7742

Or visit us at <https://www.epson.co.uk/contactus>

\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.

Product information is subject to change without prior notice.

Last extracted: 2024-05-02

**EPSON**<sup>®</sup>