

DMC-FS6
Digital Still Camera

- _____ iA (Intelligent Auto) Mode and Dedicated iA Button
- _____ Bright LEICA DC VARIO-ELMARIT Lens 4x Optical Zoom
- _____ Long Battery Life - 400 Images
- _____ High-resolution Intelligent LCD



Colourful designs with a playful, fashionable look. Cameras that are easy to carry, easy to use, and easy to enjoy.

Optics

Camera Effective Pixels	8.1 Megapixels
Sensor Size / Total Pixels / Filter	1/2.5-inch / 8.32 Total Megapixels / Primary Colour Filter
Aperture	F2.8 - 5.9 / 2-Step (F2.8 - 8 (W) / F5.9 - 14 (T))
Optical Zoom	4x
Focal Length	f=5.5-22.0mm (33-132mm in 35mm equiv.)
Extra Optical Zoom (EZ)	5.1x (4:3 / 5M), 6.4x (under 3M)
Lens	LEICA DC VARIO-ELMARIT 6 elements in 5 groups (3 Aspherical Lenses / 4 Aspherical surfaces)
Optical Image Stabilizer	MEGA O.I.S. (Auto / Mode1 / Mode2)
Digital Zoom	4x (Max. 16.0 x combined with Optical Zoom without Extra Optical Zoom) (Max.25.6x combined with Extra Optical Zoom)
Focusing Area	Normal: Wide 50cm - infinity Macro / Intelligent AUTO : Wide 5cm / Tele 50cm - infinity
Focus Range Display	Yes
AF Assist Lamp	Yes
Focus	Normal / Macro, Quick AF (Always On)
AF Metering	Face / Multi (9pt) / 1pt
Shutter Speed	8-1/2000 sec Starry Sky Mode : 15, 30, 60sec.



DMW-BCF10E



DMW-AC5EB



DMW-DCC4E

Recording

Optical Image Stabilizer	Yes
Intelligent ISO Control	Yes
Face Detection	Yes
Intelligent Scene Selector	Portrait, Scenery, Night Portrait, Night Scenery, Macro
Digital Red Eye Correction	Yes
iA Direct Button	Yes
File Format	Still Image: JPEG (DCF / Exif2.21) Motion picture: QuickTime Motion JPEG
Mode Switch	[Recording] / [Playback]
Mode Button	Intelligent AUTO, Normal Picture, MySCN, SCN, Motion Picture
Still Picture Scene Mode	Portrait, Soft Skin, Transform, Self-Portrait, Scenery, Sports, Night Portrait, Night Scenery, Food, Party, Candle Light, Baby1, Baby2, Pet, Sunset, High sensitivity, Hi-Speed Burst, Flash Burst, Starry Sky, Fireworks, Beach, Snow, Aerial photo, Film Grain, Photo Frame
Continuous Shooting Mode	Full-Resolution Image, 3.0 frames/sec Max. 7 images (Standard mode), Max 4 images (Fine Mode) High-speed Burst Mode: approx. 5.5 frames/sec (recorded in 3M for 4:3, 2.5M for 3:2, 2M for 16:9)
Unlimited consecutive shooting	2.0 frames/sec
Motion Picture Recording	[4:3] VGA: 640 x 480 pixels, 30fps (Motion JPEG) QVGA: 320 x 240 pixels, 30 fps (Motion JPEG) [16:9] WVGA: 848 x 480 pixels, 30 fps (Motion JPEG)
Exposure	Program AE
Exposure Compensation	1/3 EV step, +/-2 EV
Backlight Compensation	Yes (only in Intelligent AUTO mode)
Auto (AE) Bracketing	'+/- 1/3 EV ~1EV step, 3 frames
Light Metering	Intelligent Multiple
ISO Sensitivity	Auto / 80 / 100 / 200 / 400 / 800 / 1600 High Sensitivity (ISO 1600-6400)
Aspect Ratio	4:3 / 3:2 / 16:9
Still Picture Recording	[4:3] 3264 x 2448 (8M) / 2560 x 1920 (5M EZ) / 2048 x 1536 (3M EZ) / 1600 x 1200 (2M EZ) / 640 x 480 (0.3M EZ) [3:2] 3264 x 2176 (7M) / 2560 x 1712 (4.5M EZ) / 2048 x 1360 (2.5M EZ) [16:9] 3264 x 1840 (6M) / 2560 x 1440 (3.5M EZ) / 1920 x 1080 (2M EZ)
Image Quality	Fine / Standard
White Balance	Auto / Daylight / Cloudy / Shade / Halogen / White Set (Selectable at Portrait, Soft Skin, Transform, Self-Portrait, Sports, Baby, Pet, High Sensitivity, Highspeed Burst, Photo Frame mode)
Quick Menu	Yes
Colour Mode	Standard, Natural, Vivid, Black & White, Sepia, Cool, Warm
Composition Guide line	Yes (1 pattern)
Auto Review	1sec, 2sec, Zoom, Hold
Easy Zoom / Zoom Resume	No / No

Zoom Macro	Yes
Orientation Detector	Yes
Scene Mode Help Screen	Yes
Self Timer	2sec / 10sec
Focus Icon Select	Yes

Playback

Playback Mode	Normal Playback, Slideshow, Category Playback, Favourites Playback
Thumbnails / Zoomed Playback	12,30-thumbnails / Max 16x
Calender Display / Dual-Image Playback	Yes / No
Set Favorites / Rotate Image	Yes / No
Playback Motion Picture	Yes (Motion JPEG)
Slideshow Mode	All Still Images / Favourites / Category BGM Effect (Natural / Slow / Swing / Urban / OFF)
Delete Image	Single / Multi / All / All except Favourites
DPOF Print Setting / Set Protection	Yes / Yes
Resize / Trim / Aspect Conv. / Leveling	Yes / Yes / No / No
Copy / Title Edit/ Text Stamp	Yes / Yes / Yes
PictBridge Support	Single / Multi / All / Favourites / DPOF

Setup

OSD language	Japanese, English, German, French, Italian, Spanish
Travel Date / World Time	Yes / Yes

Others

LCD Monitor	2.5" TFT Screen LCD Display (230K dots) Field of View : approx. 100% AUTO Power LCD mode, Power LCD mode, High-Angle LCD
Built-in-Flash	Auto, Auto/Red-eye Reduction, Forced On, Forced Off 0.3 - 6.3m (Wide/ISO Auto), 0.5 - 3.0m (Tele/ISO Auto)
Recording Media	Built-in Memory, SD Memory Card, SDHC Memory Card, MultiMedia-Card (Still image only)
Built-in-Memory	approx. 50MB
Microphone / Speaker	Mono / Yes
Interface	AV Output (NTSC/PAL or NTSC only) / USB2.0 Full speed, DC Input (requires optional DC Coupler)

General

Power	ID-Security Li-ion Battery Pack (3.6V, 940mAh) (Included) AC Adaptor (Input: 110-240V AC) (Optional)
Battery life (approx.)	400 pictures (CIPA Standard)
Included Software	PHOTOfunSTUDIO v3.0 ArcSoft (MediaImpression / Panorama Maker)

USB Driver, QuickTime

Standard Accessories

Battery Charger, Battery Pack, Battery case
AV Cable, USB Connection Cable, AC Cable
Hand Strap, CD-ROM

Dimensions(W x H x D)

97.0 x 54.4 x 21.2 mm (3.82 x 2.14 x 0.84 in)

Weight

Approx. 115g (0.25 lb) Approx. 137g with Battery and SD Memory Card
(0.3 lb)

