

Product data sheet

Specifications



Rack PDU, Basic, 1U, 14.4kW, 208V, (6) C19



AP7516

Overview

Lead time Usually in Stock

Main

Color Black

Product or Component Type PDU

PDU Type Basic

Cord length 8 ft (2.4 m)

Provided Equipment Installation guide
Rack Mounting brackets

Complementary

Input Voltage 208 V 3 phase

Height 1.7 in (4.4 cm)

Width 17.2 in (43.7 cm)

Output Voltage 200 V
208 V

Depth 10.0000000000 in (25.4 cm)

Net Weight 17.59 lb(US) (7.98 kg)

Mounting Location Front
Rear

Mounting preference No preference

Mounting Mode Rack-mounted

Rack units 1U

Mounting position Horizontal

Line Rated Current 40 A

Input current limits 50 A

Load Capacity 14400 VA

Input Frequency 50/60 Hz

Number of input connectors 1 CS8365

Outlet type and quantity 6 IEC 60320 C19

Environment

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Product Certifications	cUL Listed METI Denan UL Listed
Standards	CSA C22.2 No. 60950-1-03 UL 60950-1
Ambient Air Temperature for Operation	23...113 °F (-5...45 °C)
Relative Humidity	5...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	-13...149 °F (-25...65 °C)
Storage Relative Humidity	5...95 %
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Ordering and shipping details

GTIN	731304232674
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.5 in (24.1 cm)
Package 1 Width	19.8 in (50.2 cm)
Package 1 Length	22.008 in (55.9 cm)
Package 1 Weight	22.3 lb(US) (10.1 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)
