

# Product data sheet

Specifications



## APC Replacement Battery Cartridge #135 with 2 Year Warranty

APCRBC135

Product availability: Stock - Normally stocked in distribution facility

### Overview

Lead time Usually in Stock

### Main

Product or Component Type Replacement battery cartridge

Battery Type Lead-Acid battery

Provided Equipment Installation guide

### Batteries & Runtime

Battery Placement Internal Battery

Battery blocks per string 2

Battery Slots Empty 0

Included Battery Modules 0

Device mounting Stand alone battery stack

Battery Voltage 24 V

RBC Quantity 1

### Physical

Height 4.2 in (10.7 cm)

Width 4.2 in (10.7 cm)

Depth 5.7 in (14.4 cm)

Net Weight 10.32 lb(US) (4.68 kg)

Mounting Mode Not rack-mountable

### Output

Battery Capacity 5 Ah

### Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Operating altitude 0...10000 ft

Relative Humidity 0...95 %

Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)

Storage altitude 0...50000 ft (0.0000000000...15240.0000000000 m)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Storage Relative Humidity	0...95 %
---------------------------	----------

## Ordering and shipping details

---

Category	09305-INDUSTRIAL UPS
----------	----------------------

---

Discount Schedule	IUPS
-------------------	------

---

GTIN	731304291732
------	--------------

---

Returnability	No
---------------	----

---

Country of origin	VN
-------------------	----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	9.02 in (22.9 cm)
------------------	-------------------

---

Package 1 Width	9.02 in (22.9 cm)
-----------------	-------------------

---

Package 1 Length	9.02 in (22.9 cm)
------------------	-------------------

---

Package 1 Weight	11.33 lb(US) (5.14 kg)
------------------	------------------------

## Contractual warranty

---

Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Take-back Transparency RoHS/REACH

## Resource performance

 Take-Back Program Available

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)

California Proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)