

Arista Networks SFP-1G-T Compatible SFP Transceiver Module - 10/100/1000Base-TX

Product ID: AR-SFP-1G-T-ST



The AR-SFP-1G-T-ST is an Arista Networks compatible copper transceiver module that has been designed, programmed and tested to work with Arista Networks brand switches and routers. It delivers dependable 1 GbE connectivity over copper cable, for 10/100/1000Base-TX compliant networks, with a maximum distance of up to 100 m (328 ft).

Technical Specifications:

- **Maximum Data Transfer Rate:** 1000 Mbps (1 Gbps)
- **Type:** Copper
- **Connection Type:** RJ-45
- **Maximum Transfer Distance:** 100 m (328 ft)
- **MTBF:** 510,469,759 hours
- **Power Consumption:** Low power consumption
- **Digital Diagnostics Monitoring (DDM):** No

This SFP copper module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

Certifications, Reports and Compatibility



Features

- 100% Compatibility with Arista Networks SFP-1G-T guaranteed
- StarTech.com SFP modules are backed by a lifetime warranty
- Uses a cost-effective cabling alternative to fiber-optic set ups
- Meets or exceeds OEM specifications and Multi-Source Agreement (MSA) industry standards
- Low power consumption
- Hot-swappable with fiber-optic modules

	Warranty	Lifetime
Hardware	Compatible Brand	Arista Networks®
Performance	DDM	Yes
	Maximum Data Transfer Rate	1.25 Gbps
	MTBF	510,469,759 hours
	Type	Copper
Physical Characteristics	Product Height	13.800
	Product Length	13.700
	Product Width	68.000
	Weight of Product	15.000
Packaging Information	Package Height	31.000
	Package Length	115.000
	Package Width	90.000
	Shipping (Package) Weight	50.000
What's in the Box	Included in Package	1 - SFP Transceiver
	Fiber Operating Mode	Full-Duplex

Product appearance and specifications are subject to change without notice.