

Yield Reporting Form: HP LaserJet Pro M1536 MFP cartridge model CE278 Intro

Declared ISO yield

Toner cartridge yield:Average cartridge yield 1000 standard pages¹*Declared yield value in accordance with ISO/IEC 19752 based on continuous printing*Calculated test values

Average ¹	1014
Standard Dev.	10
90% lower confidence limit ¹	1010

Test date: beginning	2010-8-27
Test dates: ending	2010-8-30
Number of cartridges used in testing	16
Number of cartridges used in calculations	16
Type of cartridge	Hewlett Packard Intro-CE278A all in one
Shake procedure used?	Yes, at first and second fade
Print mode	Continuous
Job size	100 pages per job to 800 pages, 25 thereafter
Number of engines used in testing	4
Media	Double A
Paper size	A4
Paper feed orientation	Short edge
Computer model	HP Compaq dc7700
Operating system	Win XP
Application software	Adobe Reader 8.0
Print driver version	HP LJ M1530 MFP series PCL6
Connection type	USB
Test page version*	Version 4.0 pdf

Power on/off every day	No
------------------------	----

Engine serial numbers:	Engine Firmware Version:
CN39B5ZK0D	20100526
CN39B61K02	20100526
CN39B5ZK08	20100526
CN39B60K05	20100526

*filename: Download_Free___19752_Test_Chart_.pdf from ISO SC28 website

Cartridge testing data

Start date	2010-8-25
Finish Date	2010-8-27

Humidity **Temperature**

53.0	24.4	Max running average
45.0	23.6	Min running average
48.0	23.9	Average

Intro-CE278A		LJ M1536dnf MFP	
Cartridge	Lot Code	Engine SerNo	Cartridge Yield
Intro-CE278A-001	0C22M1Da	CN39B5ZK0D	1012
Intro-CE278A-002	0G08M1Da	CN39B61K02	1006
Intro-CE278A-003	0C22M1Da	CN39B5ZK08	1005
Intro-CE278A-004	0G08M1Da	CN39B60K05	1020
Intro-CE278A-005	0C22M1Da	CN39B5ZK0D	1028
Intro-CE278A-006	0C22M1Da	CN39B61K02	1004
Intro-CE278A-007	0C22M1Da	CN39B5ZK08	1023
Intro-CE278A-008	0G08M1Da	CN39B60K05	1004
Intro-CE278A-009	0G08M1Da	CN39B5ZK0D	1026
Intro-CE278A-010	0G08M1Da	CN39B61K02	1033
Intro-CE278A-011	0C22M1Da	CN39B5ZK08	1005
Intro-CE278A-012	0G10M1Da	CN39B60K05	1008
Intro-CE278A-013	0G10M1Da	CN39B5ZK0D	1020
Intro-CE278A-014	0C22M1Da	CN39B61K02	1002
Intro-CE278A-015	0G10M1Da	CN39B5ZK08	1017
Intro-CE278A-016	0C22M1Da	CN39B60K05	1017

¹ In an ISO report commonly two values are listed: declared ISO yield and calculated test values. Generally, the calculated test values are higher than the declared ISO yield. Actual cartridge yields vary considerably based on content of images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.