

# USB-C to HDMI Adapter Cable, 4K, Black, 6 ft. (1.83 m)

MODEL NUMBER: U444-006-H







Connects your existing HDMI TV, monitor or projector to the USB-C or Thunderbolt 3 port on your tablet, laptop, notebook, smartphone or PC.

#### **Features**

Connects an HDMI Display to Your USB-C or Thunderbolt 3 DeviceCompatible with USB-C or Thunderbolt 3 source devices that support USB DisplayPort Alternate Modeldeal for giving video presentations, editing multiple documents or streaming 4K video for digital signageSupports USB 3.1 Gen 1 data transfer rates up to 5 Gbps

**Common Applications**Extends 4K video from your primary display to anotherDuplicates the same video on 2 displaysConverts a secondary display to your primary display

Crystal-Clear 4K Video and Digital AudioSupports UHD video resolutions up to 3840 x 2160 (4K) @ 30 HzSupports 36-bit Deep Color (12 bits per channel)Supports per-lane transfer rates of 5.4 Gbps (HBR2), 2.7 Gbps (HBR) and 1.62 Gbps (RBR)

**Reversible USB-C Connector**Fumble-free reversible USB-C plug connects in either direction for quick connection every time

**Premium Construction**Gold-plated connectors and contacts for maximum conductivity and minimum data lossFoil and braid shielding protects against EMI/RFI line noise that can distort or destroy dataIntegral strain relief helps cable and connectors move freely without stress or crackingDurable PVC jacket designed to last a long time

**Ready for Instant Use**Plug-and-play operation with no software, drivers or external power required6 ft. length easy to manage in crowded environmentsBackward compatible with non-4K displays

## **Highlights**

- Supports USB DisplayPort
   Alternate Mode for transmitting audio/video
- Supports UHD video resolutions up to 4K @ 30 Hz
- Supports USB 3.1 Gen 1 data transfer rates up to 5 Gbps
- Reversible USB-C plug connects in either direction
- Plug-and-play operation with no software or drivers required

#### **System Requirements**

- Source device with USB-C or Thunderbolt 3 port that supports USB DisplayPort Alternate
   Mode
- Display device with HDMI input

### Package Includes

U444-006-H USB 3.1 Gen 1
 USB-C to HDMI 4K Adapter
 Cable (M/M), 6 ft.

# **Specifications**

OVERVIEW	
UPC Code	037332202468
Technology	HDMI; USB; USB 3.1 (Gen 1)
VIDEO	
Max Supported Video Resolution	HDMI: 3840 X 2160 (4K) @ 30HZ



Yes	
72	
182.88	
6	
1.83	
BATTERY	
No	
Black	
VW-1	
6	
1.828	
PVC, ABS	
22.86 x 17.78 x 1.27	
9.00 x 7.00 x 0.50	
0.14	
0.30	
Polybag	
0.10	
0.22	
32 to 113 F (0 to 45 C)	
14 to 158 F (-10 to 70 C)	
2.1 BTU/ Hr	
0.6	
10% to 85% RH, Non-Condensing	
5% to 90% RH, Non-Condensing	
CONNECTIONS	
USB C (MALE)	
HDMI (MALE)	
Gold	



**Tripp Lite**1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

FEATURES & SPECIFICATIONS		
HDMI Specification	1.4	
HDCP Specification	1.4	
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)	
Driver Required	No	
STANDARDS & COMPLIANCE		
Certifications	Tested to CE, FCC, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>