

4XEM's 65W USB-C 4K Dual Display Universal Docking Station with Power Delivery

4XEM Part- 4XUG76PD2



Introducing the 4XEM 65W USB-C 4K Dual Display Universal Docking Station with Power Delivery – the ultimate solution for seamless connectivity and productivity! Unleash the full potential of your USB-C enabled laptop or device with this cutting-edge docking station. With its advanced 65W power delivery, it not only charges your device rapidly but also provides a robust platform for multi-tasking and expanding your workspace.

Featuring dual 4K HDMI ports, this docking station lets you connect two external monitors in stunning ultra-high definition. Whether you're a creative professional, a data analyst, or a multitasking enthusiast, the 4XEM docking station enhances your productivity by giving you the freedom to work across multiple displays simultaneously. Enjoy the luxury of a seamless and immersive viewing experience, perfect for presentations, video editing, gaming, and more.

The 4XEM 65W USB-C 4K Dual Display Universal Docking Station is designed to be compatible with a wide range of USB-C devices, ensuring seamless integration with your existing setup. With its comprehensive array of ports, including USB 3.0, USB 2.0, and Gigabit Ethernet, you can effortlessly connect peripherals, transfer data at lightning speed, and stay connected to a wired network – all from a single hub!

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    tschaus@4xem.com**



## Features:

- **Dual 4K HDMI Ports:** Connect two external monitors in ultra-high definition, allowing you to work across multiple screens simultaneously and enjoy a seamless viewing experience.
- **65W Power Delivery:** Rapidly charge your USB-C enabled laptop or device while using the docking station, ensuring you never run out of power during your work or multimedia sessions.
- **Comprehensive Connectivity:** The docking station offers a range of ports including USB 3.0, backwards compatible USB 2.0, Gigabit Ethernet, providing convenient access to various peripherals and allowing for fast data transfer.
- **Wide Compatibility:** Designed to be compatible with a wide range of USB-C devices, ensuring seamless integration with your existing setup and eliminating compatibility concerns.
- **Plug-and-Play Functionality:** Enjoy a hassle-free setup with the docking station's plug-and-play functionality. Simply connect your device and start using it immediately without any additional software or drivers.
- **Streamlined Design:** The compact and sleek design adds an elegant touch to your workspace, while the sturdy build ensures durability and longevity.



## Application

- Home theatre
- Small business
- Home Office
- Business Presentations

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    tschaus@4xem.com**



Warranty Information	Warranty	2 Years
Features/Hardware	4K Support Displays Supported USB Ports Fast-Charge Port(s) Network SD Card Reader Audio Power Delivery Lock Slot Industry Standards  Chipset ID	Yes 2 4 1 Yes No Yes Yes Yes HDMI 1.4 HDMI 1.1 Battery Charging 1.2 Power Delivery 2.0 Fresco Logic - FL5002 Fresco Logic - FL5000 Silicon Motion - SM768 Realtek - RTL8153B Cirrus Logic - WM8978
Connector(s)	Host Connectors Host Connector Cable Connector Type(s)	USB 3.0 Type-C (5Gbps) Detachable 1x HDMI 1.4 (10.2Gbps) 1x HDMI 1.1 (4.95Gbps) 3x USB 3.0 Type-A (5Gbps) 1x USB 3.0 Type-A (5Gbps - Fast Charging) 1x RJ-45 (10/100/1000Mbps) 1 x 3.5mm 4-Pole TRRS Phono Jack (Stereo/Mic Combo)
Performance	Maximum Digital Resolutions  Audio Specifications	Single Monitor: 4K (4096 x 2160 @ 30Hz) Dual Monitors: FHD (1920 x 1080 @ 60Hz) Each 2-ch Stereo
Software	OS Compatibility	Windows 7 or later Mac OSX
Power	Power Source Power Adapter Style Power Consumption Input Voltage Power Delivery	AC Adapter Included (100-240VAC, 50/60Hz, 2.5A Max, CLASS II) Brick 88W (Full Load) 20V DC @ 5A 65W
Physical Characteristics	Color Material Host Cable Length  Buttons/Switches LED Indicators Power Cable Length  Product Height Product Width Product Length Weight of Product	Black & Grey ABS Plastic C-C Cable: 36.61 in [930 mm] C-A Cable: 37.20 in [945 mm] Power On/Off Button Power: Blue AC In: 4.50 ft [1.37 m] DC Out: 3.90 ft [1.19 m] 2.48 in [63.0 mm] 4.96 in [126.0 mm] 4.11 [104.5 mm] 12.91 oz [366 g]
Environmental	Operating Temperature Storage Temperature	32°F to 104°F [0°C to 40°C] @ 10%-90% RH (Non-Condensing) 14°F to 158°F [-10°C to 70°C] @ 10%-90% RH (Non-Condensing)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Box 2.91 in [74 mm] 8.95 in [212 mm] 7.87 in [200 mm] 2.81 lbs [1.27 kg]
What's in the Box	Included in Package	1x USB Docking Station 1x USB Type-C to Type-C Cable 1x USB Type-C to Type-A Cable 1x User Manual 1x AC/DC Power Adapter 1x NEMA 5-15P to IEC 320 C5 Power Cord
Notes / Special Requirements	Notes	"Power Delivery not supported when using USB-C to USB-A cable. HDMI 1.4 (HDMI 4K) port max resolution drops to FHD (1920x1080 @ 60Hz) when running 2 displays from Docking Station."

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

