

DATA SHEET

23FT HIGH SPEED ACTIVE OPTICAL FIBER HDMI 2.1 CABLE

4XEM Part- 4XFIBERHDMI7M8K



With a maximum uncompressed bandwidth of 48.0Gbps, this cable supports resolutions up to 7680 x 4320 (8K) at 60Hz, delivering stunning visuals with 8-bit per channel color depth. For even more flexibility, it also supports 10-bit and 12-bit color depths at various resolutions, including 4K at 120Hz and Full HD at a blazing 360Hz. The PVC jacket, CMG fire rating, and 0.18-inch cable diameter ensure durability and safety. With a generous length of 23 feet, you have the flexibility to set up your home entertainment system exactly how you want it. Plus, this cable is lightweight, making installation a breeze. Upgrade your home theater or gaming setup with the 4XEM 7M 23FT High-Speed Active Optical Fiber HDMI 2.1 Cable and immerse yourself in the world of 8K entertainment like never before.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com



DATA SHEET

Features

- High-Speed HDMI 2.1 Cable
- Active Technology for Seamless Connectivity
- Supports 8K at 60Hz, 4K at 120Hz, and Full HD at 360Hz
- Unidirectional Design for Optimal Performance
- Gold-Plated HDMI Connectors for Reliable Signal
- Durable PVC Jacket
- CMG Fire Rated
- 23ft in Length

Application

feet away

important

Sleek Black Design

· Compatible with all HDMI devices

• Connect your high resolution display up to 23'

Used when quality and dependability are

transmission over a long distance

· All-in-one solution providing high bandwidth

• 1-Year Warranty



4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information	Warranty	1 Year
Hardware	Operating Mode Chip ID	Active
	Direction Industry Standards	Unidirectional HDMI 2.1
Connector(s)	Connector A (Source) Connector B (Display)	HDMI - Male HDMI - Male
Performance	Max Uncompressed Bandwidth Supported Resolutions	48.0Gbps/42.6Gbps 7680 x 4320 (8K), 60Hz, 8bpc (Reruires DSC) 7680 x 4320 (8K), 30Hz, 10bpc 3840 x 2160 (4K), 120Hz, 12bpc 1920 x 1080 (FHD), 360Hz, 12bpc
Physical Characteristics	Colour Connector Plating Connector Style Cable Jacket Type Fire Rating Cable OD Cable Length Weight of Product	Black Gold Straight PVC - Polyvinyl Chloride CMG Rated (General Purpose) 0.18 in [4.6 mm] 22.97 ft [7.0 m] 9.24 oz [262 g]
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Box 2.05 in [52 mm] 6.50 in [165 mm] 6.50 in [165 mm] 12.5 oz [354 g]
What's in the Box	Included in Package	1x 7m HDMI 48Gbps (ver 2.1) Optical Cable
Notes	Notes	"Higher resolutions, frame rates, and colour depths are achievable using Display Stream Compression (DSC). To utilize DSC, it must be supported on both display and video source equipment "

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep 1-866-999-4936 Ext.104 tschaus@4xem.com

