

## DisplayPort to HDMI Adapter - 4K

StarTech ID: DP2HD4KADAP



This DisplayPort™ to HDMI® adapter supports 4K video resolution, enabling you to connect DisplayPort devices, such as an Ultrabook™ or desktop computer, to a 4K HDMI display or projector.

### Astonishing 4K picture quality

You will be amazed at how this adapter flawlessly manages your graphics-intensive content. With support for resolutions up to 4K - four times the resolution of high-definition 1080p - its lossless performance makes the adapter the ideal solution for high-resource applications such as graphic design, CAD & CAM design, or health care imaging (MRI, radiology diagnostics, etc.).

Plus, the 4K adapter supports 1080p displays, which makes it a great accessory for home, office or other workspace applications.

### Arrive prepared, wherever you go

This DP to HDMI adapter is extremely portable, with a lightweight, small-footprint design. It's the perfect accessory to carry with your Ultrabook, fitting easily into your laptop bag or carrying case. Its ultra-portable design makes the adapter ideal for BYOD (Bring Your Own Device) applications at the office, and enables you to arrive prepared when you're presenting to a potential client, teaching off-site, or traveling to meet with a customer.

The DP2HD4KADAP is backed by a 2-year StarTech.com warranty and free lifetime technical support.

## Applications

- Connect your 4K HDMI display to a DisplayPort output port
- Carry with your laptop for BYOD office applications
- Use an HDMI display as a secondary monitor for your DisplayPort computer

## Features

- Astonishing picture quality four times the resolution of 1080p with support for 4K
- Maximum portability with a small footprint and lightweight design
- Hassle-free setup with plug-and-play installation

### Technical Specifications

|                             |   |
|-----------------------------|---|
| Warranty                    | 2 Years   |
| Adapter Style               | Adapter   |
| Audio                       | Yes   |
| Converter Type              | Passive   |
| Industry Standards          | DPCP (DisplayPort Content Protection)<br>HDCP (High Definition Content Protection)<br>DisplayPort 1.2<br>HDMI 1.4 |
| Ports                       | 1   |
| Audio Specifications        | 7.1 Surround Sound  |
| Maximum Digital Resolutions | 4K x 2K @ 30 Hz   |
| Supported Resolutions       | 4k x 2K (Ultra HD)<br>1920x1200<br>1920x1080 (1080p)<br>1280x720 (720p)   |
| Wide Screen Supported       | Yes   |
| Connector A                 | 1 - DisplayPort (20 pin) Male Input   |
| Connector B                 | 1 - HDMI (19 pin) Female Output   |
| Humidity                    | 10%~85%RH   |
| Operating Temperature       | 0°C to 60°C (32°F to 140°F)   |
| Storage Temperature         | -10°C to 70°C (14°F to 158°F)   |
| Shipping (Package) Weight   | 0.7 oz [20 g]   |
| Included in Package         | 1 - DisplayPort to HDMI adapter   |

### Certifications, Reports and Compatibility

