

4XEM 30W 3FT 2-in-1 USB-C with Lightning Adapter Charging Kit

4XEM Part- 4X30W2N1KIT3



The 4XEM 30W 3FT 2-in-1 USB-C with Lightning Adapter Charging Kit delivers powerful and versatile charging for all your devices. Equipped with a USB Type-C female port and a 3ft USB-C to USB-C/Lightning cable, this charging kit is designed to support fast charging with Power Delivery (PD 3.0) and Qualcomm QC 3.0 standards. The MFi Certified Lightning connector ensures seamless compatibility with Apple devices, while the USB-C connector handles a wide range of devices, delivering up to 30W of power.

The compact charger features retractable prongs, making it easy to store and carry, and includes a blue LED indicator to show when the power is on. With a durable TPE jacket and gold-plated connectors, this charging kit is built to last. The charger is lightweight and designed for maximum portability, making it an ideal companion for your travels.

Perfect for home, office, or travel, the 4XEM 30W Charging Kit provides reliable performance and convenience wherever you go.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep**  
**1-866-999-4936 Ext.104    tschaus@4xem.com**



## Features

- 1x 30W USB-C Adapter
- 1x 3FT USB-C to USB-C Cable with MFi-certified Lightning connector for Apple devices
- Charger supports Power Delivery (PD), and Qualcomm Quick Charge (QC 3.0)
- Compact design with retractable prongs
- Supports 480 Mbps data transfer
- Durable TPE cable with gold and nickel-plated connectors
- FCC, CE certified for safety and reliability
- LED power indicator
- Wide input voltage range (100-240V) for global use
- 1-year warranty

## Application

- **All-in-One Convenience:** This 2-in-1 bundle includes both a powerful 30W USB-C charger and a versatile USB-C to USB-C/Lightning cable, offering everything you need in one package. Ideal for users looking to save time and money, it provides seamless charging for a wide range of devices without the need to purchase separate components.
- **Travel-Ready Convenience:** With its compact size and retractable prongs, this charging kit is perfect for frequent travelers. The universal 100-240VAC input ensures it works with outlets worldwide, making it an essential companion for international trips.
- **Multi-Device Compatibility:** The included 2-in-1 USB-C to USB-C/Lightning cable means you can charge both Apple devices (like iPhones and iPads) as well as USB-C compatible gadgets, reducing the need to carry multiple chargers and cables.
- **Safe Charging:** With industry certifications, including FCC and MFi for Apple Lightning products, users can trust in safe and stable charging, whether at home, in the office, or on the go.

Made for  
iPhone | iPad | iPod

### Switch to Connect



**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep**  
**1-866-999-4936 Ext.104    tschaus@4xem.com**



Warranty Information	Warranty	1 year
Connector(s)	Charging Port Power Source  Charging Cable Connector A Charging Cable Connector B Operating Mode Direction	1x USB Type-C Female Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Retractable Prongs USB Type-C Male USB Type-C - Male with Lightning Male attachment Passive Unidirectional - USB-C to USB-C/Lightning
Performance	Industry Standards (Cable)  Industry Standards (Charger)  Cable Data Transfer Rate E-Marker	USB 2.0 FCC certified USB-PD 3.0 Qualcomm QC 3.0 480 Mbps No
Physical Characteristics	Charger Color Display LED Indicator(s) Charger Height Charger Width Charger Length  Charger Weight Charging Cable Color Connector Plating Connector Style Cable Jacket Type Wire Gauge Charging Cable Length Charging Cable OD Charging Cable Weight	White No Power: Blue 2.56 in [64.9 mm] 1.14 in [28.9 mm] 2.49 in [63.3 mm] 3.15 in [80.0 mm] (with power prongs out ) 4.37 oz [124 g] White Gold plated pin, nickel plated iron case Straight TPE (Thermoplastic Elastomer) 11/0.08TC*3C+46/0.08TC*2C 3 ft [0.94 m] 0.15 in [3.8 mm] 0.84 oz [24 g]
Power	Total Power Budget Power Delivery Input Voltage Output Voltage (QC) Output Voltage (PD)  Output Voltage (Other)	30W 30W 100-240VAC, 50Hz-60Hz @ 1.2A 3.6-12V DC (0.2V DC/STEP) @ 3A, 30W MAX 5V DC @ 3A 9V DC @ 3A 12V DC @ 2.5A 15V DC @ 2A 20V DC @ 1.5A 5V DC @ 2.4A
Environmental	Operating Temperature Storage Temperature Humidity	0°C to 40°C (32°F to 104°F) -20°C to 80°C (-4°F to 176°F) 5% to 90% (non-condensing)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 7.09 in [180 mm] 4.72 in [120 mm] 0.54 in [13.7 mm] 5.22 oz [148 g]
What's in the Box	Included in Package	1x 30W USB-C Charger 1x 3ft USB-C to USB-C/Lightning Cable
Notes	Notes	MFi Certified Lightning connector

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

