

Product data sheet

Specifications



Rack PDU, Basic, Zero U, 12.5kW, 208V, (30)C13, (6)C19; 3' Cord

AP7568

Overview

Lead time Usually in Stock

Main

Color Black

Product or Component Type PDU

PDU Type Basic

Cord length 3 ft (0.9 m)

Number of cables 1

Provided Equipment Cord retention bracket(s)
Documentation CD
Installation guide
Rack Mounting brackets
Toolless Mounting Kit

Complementary

Input Voltage 208 V 3 phase

Height 70.0000000000 in (177.8 cm)

Width 2.2 in (5.6 cm)

Output Voltage 208 V

Depth 3.5 in (8.9 cm)

Net Weight 15.32 lb(US) (6.95 kg)

Mounting Location Side

Mounting preference No preference

Mounting Mode Rack-mounted

Rack units 0U

Mounting position Vertical

Max line current 35 A

Input current limits 35 A

Load Capacity 12500 VA

Input Frequency 50/60 Hz

Number of input connectors 1 CS8365

Outlet type and quantity 30 IEC 60320 C13
6 IEC 60320 C19

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environment

Product Certifications	cUL Listed UL Listed
Standards	CSA C22.2 No. 60950-1-03 UL 60950-1
Ambient Air Temperature for Operation	23...113 °F (-5...45 °C)
Relative Humidity	5...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	-13...149 °F (-25...65 °C)
Storage Relative Humidity	5...95 %
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)

Ordering and shipping details

GTIN	731304226833
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	83.0 in (210.8 cm)
Package 1 Width	5.0000000000 in (12.7 cm)
Package 1 Length	6.0 in (15.2 cm)
Package 1 Weight	22.42 lb(US) (10.17 kg)

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)