

USB C Multiport Adapter - USB-C to HDMI 2.0b 4K 60Hz (HDR10), 100W Power Delivery Pass-Through, 4-Port USB 3.0 Hub - USB Type-C Mini Dock - 12" (30cm) Long Attached Cable

Product ID: DKT30CHPD3



This USB-C multiport adapter with DP 1.4 supports 4K 60Hz HDMI and turns your MacBook Pro, Dell XPS, or other USB-C laptops or tablet into a workstation, anywhere you go. The USB Type-C multiport adapter provides 4K HDMI video output, three USB 3.2 Gen 1 Type-A (5Gbps) ports including one BC 1.2 charge port; one USB-C port supporting both the 100W PD passthrough, all through one connection to your laptop's USB-C or Thunderbolt 3 port. Plus, it offers advanced charging through USB Power Delivery 3.0 and an extra-long attached 12-inch (30 cm) host cable for an extended reach to offer more set up flexibility.

The portable docking station connects your laptop to a 4K 60Hz HDMI monitor (4096 x 2160p) to create a powerful workstation. It can also connect to an ultrawide monitor.

The USB-C to USB 3.1 Gen 1 hub gives you three USB-A ports to connect your legacy USB devices, plus one shared USB-C port for either power delivery pass through.

With support for USB PD 3.0 (up to 100W), the USB Type-C multiport adapter lets you power and charge your laptop, and power your peripherals when connected to a USB-C power adapter. PD 3.0 features Fast Role Swap to prevent USB data disruption when you switch power sources (USB-C power adapter to bus power).

The DKT30CHPD3 is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Note: To ensure full adapter functionality, your laptop's USB-C port must support USB Power Delivery.

Certifications, Reports and Compatibility

Applications

Features

- **5-IN-1 MULTIPORT ADAPTER:** USB-C multiport adapter with DP 1.4 Alt-Mode up to 4K 60Hz (4K 30Hz with DP 1.2) HDMI 2.0b (HDR10) video; 4-Port USB Hub 5Gbps: 3x USB-A (USB 3.2/3.1 Gen 1) with 1x BC 1.2 charging, 1x USB-C (100W PD Passthrough)
- **EXTRA LONG CABLE:** USB C to HDMI multiport adapter with 12" (30cm) attached cable for extended reach to reduce port/connector strain on 2-in-1 devices like Surface Pro 7, iPad Pro, HP Elite x2 & laptops on riser stands
- **PORTABLE & COMPACT:** Portable all-in-one USB Type-C multiport adapter is made from durable aluminum & designed for easy transport in a laptop bag for convenient on-the-go use between office, home office, shared office spaces, and business travel
- **RELIABLE PERFORMANCE:** USB bus powered or via external USB-C power adapter; 100W Power Delivery 3.0 pass through w/ 12W reserved for adapter to avoid video flickering, device dropouts or overdrawing power common in other hubs; up to 88W for laptop charging
- **WIDE COMPATIBILITY:** Compatible with USB-C laptops, ultrabooks & Chromebooks, plus Thunderbolt 3 laptops from HP, Dell, Lenovo, MacBooks (Intel processor & M1 chip), and Surface Laptop 4; USB-C mini dock works w/ Windows, macOS, iPadOS, Android & Chrome OS
- **4K 60HZ WITH DP 1.4 ALT-MODE:** Supports 4K 60Hz on host devices that support DP 1.4 Alt-Mode (min. Intel 11th Gen); on host devices that support DP 1.2 Alt-Mode, maximum video output resolution is 4K 30Hz; works w/ ultra-wide monitors up to 3440x1440@60Hz

Hardware

| | |
|---------------------|---|
| Warranty | 3 Years |
| 4K Support | Yes |
| Fast-Charge Port(s) | No |
| Displays Supported | 1 |
| Interface | USB 3.2 Gen 1 |
| Bus Type | USB-C |
| Industry Standards | IEEE 802.3 IEEE 802.3u IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0 and 1.1 |
| Chipset ID | Realtek - RTL8153 Parade Technologies - PS176 VIA Tech - VL102 |

VIA Tech - VL817

Performance

| | |
|-----------------------------|--|
| Maximum Data Transfer Rate | 5 Gbps (USB 3.0) <br / >2 Gbps (Ethernet; Full-Duplex) |
| Maximum Digital Resolutions | 4K @ 60Hz (on hosts that support DP 1.4), 4K @ 30Hz (on hosts that support DP 1.2) |
| Type and Rate | USB 3.0 - 5 Gbit/s |
| UASP Support | Yes |
| Full Duplex Support | Yes |

Connector(s)

| | |
|-------------------|---|
| Connector Type(s) | HDMI (19 pin) RJ-45 USB Type-A (9 pin) USB 3.0 (5 Gbps) USB-C (24 pin) USB Power Delivery only |
| Host Connectors | USB Type-C (24 pin) USB 3.0 (5Gbps) |

Software

| | |
|------------------|---|
| OS Compatibility | Windows 7, 8, 8.1, 10<br / >macOS 10.9 to 10.15, 11.0<br / >Chrome OS |
|------------------|---|

Power

| | |
|----------------|--|
| Power Source | Bus Powered and Host USB-C Power Adapter |
| Power Delivery | 100W |

Environmental

| | |
|-----------------------|----------------|
| Operating Temperature | 0 to +45 |
| Storage Temperature | -10 to +70 |
| Humidity | 10% to 90 % RH |

Physical Characteristics

| | |
|----------|--------------|
| Color | Black & Gray |
| Material | Plastic |



| | |
|-------------------|-------------------|
| Cable Length | 11.8 in [30 cm] |
| Product Length | 1.8 in [45.0 mm] |
| Product Width | 11.8 in [30.1 cm] |
| Product Height | 0.5 in [13.0 mm] |
| Weight of Product | 3.3 oz [93.0 g] |

Packaging Information

| | |
|---------------------------|------------------|
| Package Length | 6.7 in [17.0 cm] |
| Package Width | 5.6 in [14.2 cm] |
| Package Height | 1.2 in [30.0 mm] |
| Shipping (Package) Weight | 4.4 oz [126.0 g] |

What's in the Box

| | |
|---------------------|-------------------------|
| Included in Package | USB-C Multiport Adapter |
| | Product Insert |

****Product appearance and specifications are subject to change without notice.***

