

MPN: V-UTP605VP

CAT6 U/UTP Network Cable 5m, Grey

VALUEPACK (10pcs)

CAT6 cables enables a convenient and reliable connection from one network device, such as switch, modem or router, to another or to the infrastructure at large through a patch panel, keystone jack or wall outlet. This cable are also used a lot in small office and home network and entertainment applications. These cables are tested up to 250Mhz (CAT6 standard) and are backwards compatible with CAT5e and CAT5 cables. They are produced with latch protection, which prevents the connector do be damaged when you install the cable through an installation with very less space.



- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT6 tested up to 250 MHZ
- with Latch Protection
- with slimline relief
- with gold-plated pins

Spezifikationen

Battery	Battery Type	NONE - Only use for non-battery items
Features	AWG-Drahtgröße	26/7
	Datenübertragungsrate	10000 Mbit/s
	Frequenz	250 MHz
	Jackenmaterial	Polyvinyl chloride (PVC)
	Kabelabschirmung	U/UTP (UTP)
	Kabelart	Cat6
	Kabellänge	5 m
	Kabelstandard	Cat6
	Leitermaterial	Copper-Clad Aluminium (CCA)
	Leitertyp	Stranded
	Produktfarbe	Grey
	RoHS-Konformität	Yes
	Stecker 1	RJ45
	Stecker 1 Geschlecht	Male
	Stecker 2	RJ45
	Stecker 2 Geschlecht	Male
Other features	Produktreihe	Round Cable
	Technische Eigenschaften	Kink Protection, strain relief and Latch Protection
Package dimensions (verified)	Depth Verified	19,4 cm
	Gross Weight Verified	1,276 kg
	Height Verified	15 cm
	Width Verified	27,5 cm
Packaging data	Menge pro Packung	10 Stück(e)

Product dimensions	Net Weight	0,85 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Jahre)
Weight & dimensions	Außendurchmesser	6 mm

Weitere Produkte dieser Serie

Kabellänge	Black	Grey	White
0,5	V-UTP6005SVP	V-UTP6005VP	V-UTP6005WVP
1,0	V-UTP601SVP	V-UTP601VP	V-UTP601WVP
2,0	V-UTP602SVP	V-UTP602VP-P	V-UTP602WVP
3,0	V-UTP603SVP	V-UTP603VP	V-UTP603WVP
5,0	V-UTP605SVP	V-UTP605VP	V-UTP605WVP
7,0	V-UTP607SVP	V-UTP607VP	V-UTP607WVP
10,0	V-UTP610SVP	V-UTP610VP	V-UTP610WVP
15,0	V-UTP615SVP	V-UTP615VP	V-UTP615WVP
20,0	V-UTP620SVP	V-UTP620VP	V-UTP620WVP