



APC Home Office SurgeArrest 8 Outlets with 2 USB charging ports (5V, 2.4A in total), 120V

P8113

- ! Discontinued on: Apr 30, 2024
- ! To be end-of-service on: Sep 30, 2024

① To be discontinued

Overview

Lead time	Usually in Stock

Main

Main Input Voltage	120 V	
Input Connection Type	NEMA 5-15P	
Cable length	6 ft (1.8 m)	
Number of cables	1	
Provided equipment	User Manual	

Physical

Color	Black
Height	1.3 in (3.2 cm)
Width	3.5 in (8.9 cm)
Depth	13.0 in (33 cm)
Net Weight	1.72 lb(US) (0.78 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Input

Input Frequency	50/60 Hz
Switching current capacity	15 A

Output

Number of power socket outlets	8
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS Rating	L-N: 400	
	L-G: 500	
	N-G: 500	
Product Certifications	MET Canada	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Equipment protection policy Lifetime: \$100000

Environmental

Ambient Air Temperature for Operation	32113 °F (045 °C)
Relative Humidity	095 %
Operating altitude	010000 ft
Ambient Air Temperature for Storage	5113 °F (-1545 °C)
Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.000000000015240.000000000 m)

Surge Protection and Filtering

eP Joule Rating	2525 J
NM Surge Response Time (ns)	1 ns common mode
Common mode rejection	70 dB
Peak current	20 kAcommon mode 40 kA per phase normal mode
Surge energy rating	2630 J

Ordering and shipping details

GTIN 731304323006

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.4 in (6 cm)
Package 1 Width	14.0 in (35.5 cm)
Package 1 Length	5.5 in (14 cm)
Package 1 Weight	1.94 lb(US) (0.88 kg)
SCC14	10731304323003

Contractual warranty

Warranty Limited Lifetime



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

California Proposition 65	WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Circularity Profile	End of Life Information
Eu Rohs Directive	Compliant with Exemptions
Reach Regulation	REACh Declaration