Product data sheet

Specifications



APC CAT 6 Patch Panel, 48 port RJ45 to 110 568 A/B color coded

CAT6PNL-48

To be discontinued on: Dec 31, 2024

To be discontinued

Overview

Lead time	Usually Ships within 2 Weeks

Main

Number of rack unit	2U
Cable length	0.46 ft (0.14 m)
provided equipment	Installation guide
Product compatibility	Information outlet Keystone jack Router Switch

Physical

Colour	Black
Height	3.4 in (8.6 cm)
Width	19.02 in (48.3 cm)
Depth	1.3 in (3.3 cm)
net weight	1.59 lb(US) (0.72 kg)
mounting location	Front
mounting mode	Rack-mounted
Cable end 1	RJ45 female Cat Cat 6 Straight Through

Output

Number of port	48

Conformance

Product certifications	TAA compliance

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 in (9 cm)
Package 1 Width	4.8 in (12.2 cm)
Package 1 Length	21.3 in (54.2 cm)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	2.56 lb(US) (1.16 kg)

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration