





APC Replacement Battery Cartridge, VRLA battery, 7Ah, 12VDC, 2-year warranty

APCRBC110

Overview

Lead time Usually in Stock

Main

product or component type	Replacement battery cartridge
Battery type	Lead-acid battery
provided equipment	All required connectors Battery recycling guide Reusable packaging Installation guide

Batteries & Runtime

Number of battery filled slots	0
device mounting	Enclosed battery cabinet
Battery voltage	12 V
Number of battery replacement quantity	1

Physical

Colour	Black
Height	4.1 in (10.5 cm)
Width	5.9 in (15.1 cm)
Depth	2.6 in (6.5 cm)
net weight	5.5 lb(US) (2.5 kg)
mounting mode	Not rack-mountable
USB compatible	No

Output

Battery capacity 7.0 Ah

Environmental

Ambient air temperature for operation	32.0000000000104.0000000000 °F (040 °C)	
Operating altitude	010000 ft	
Relative humidity	095 %	
Ambient air temperature for storage	5.0000000000113.0000000000 °F (-1545 °C)	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	

Storage Relative Humidity 0...95 %

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.228 in (8.200 cm)
Package 1 Width	6.890 in (17.500 cm)
Package 1 Length	8.268 in (21.000 cm)
Package 1 Weight	5.404 lb(US) (2.451 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	150
Package 2 Height	38.189 in (97.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	844.371 lb(US) (383.000 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information