# Product data sheet

Specification





## APC Smart-UPS On-Line SRT Battery Pack for 3kVA Extended runtime model 96V

SRT96BP

### Overview

Lead time Usually in Stock

#### Main

| Product or Component Type | Battery                                    |
|---------------------------|--|
| Battery Type              | Lead-Acid battery                          |
| Provided Equipment        | Documentation CD User Manual Warranty card |

### **Batteries & Runtime**

| Battery Slots Empty      | 0                                 |
|--------------------------|-----------------------------------|
| Included Battery Modules | 0                                 |
| Battery Voltage          | 96V                               |
| RBC Quantity             | 2                                 |
| Replacement battery      | ADCDDC152 $\Gamma^{\overline{A}}$ |

## **Physical**

| Color         | Black                 |
|---------------|-----------------------|
| Height        | 17.008 in (43.2 cm)   |
| Width         | 3.3 in (8.5 cm)       |
| Depth         | 23.4 in (59.4 cm)     |
| Net Weight    | 89.5 lb(US) (40.6 kg) |
| Mounting Mode | Rack-mounted with kit |

### **Environmental**

| Ambient Air Temperature for<br>Operation | 32.0000000000104.0000000000 °F (040 °C)    |  |
|--|--|--|
| Operating altitude                       | 010000 ft                                  |  |
| Relative Humidity                        | 095 % non-condensing                       |  |
| Ambient Air Temperature for Storage      | 5.0000000000113.0000000000 °F (-1545 °C)   |  |
| Storage altitude                         | 050000 ft (0.000000000015240.0000000000 m) |  |
| Storage Relative Humidity                | 095 % non-condensing                       |  |

## Ordering and shipping details

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| GTIN              | 731304317722 |  |
|-------------------|--------------|--|
| Country of origin | PH           |  |

# **Packing Units**

| Unit Type of Package 1       | PCE                   |
|------------------------------|-----------------------|
| Number of Units in Package 1 | 1                     |
| Package 1 Height             | 9.4 in (23.9 cm)      |
| Package 1 Width              | 32.7 in (83.1 cm)     |
| Package 1 Length             | 23.6 in (59.9 cm)     |
| Package 1 Weight             | 98.1 lb(US) (44.5 kg) |

# **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

#### Resource performance



Take-Back Program Available

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

| Reach Regulation          | REACh Declaration   |
|---------------------------|---|
| Eu Rohs Directive         | Pro-active compliance (Product out of EU RoHS legal scope)  |
| China Rohs Regulation     | China RoHS declaration  |
| Environmental Disclosure  | Product Environmental Profile   |
| Circularity Profile       | End of Life Information   |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |