

4XEM 4XEM USB-C 20W FAST CHARGING QUICK CHARGE 3.0 WALL CHARGER

4XEM Part- **4XUSBCPOWER18W**



Introducing the 4XEM USB-C 20W Fast Charging Quick Charge 3.0 Wall Charger - your ultimate charging solution for all your power-hungry devices! With cutting-edge technology and a sleek design, this charger is sure to enhance your charging experience.

Experience lightning-fast charging with the USB-PD 3.0 and Qualcomm QC 3.0 industry standards, ensuring that your devices charge rapidly and efficiently. Say goodbye to waiting around for your gadgets to power up - our charger delivers an impressive 20W power budget, ensuring a speedy charging process.

Experience the future of fast charging with the 4XEM USB-C 20W Fast Charging Quick Charge 3.0 Wall Charger. Embrace the power, speed, and reliability it offers and never worry about low battery levels again. Get yours today and stay connected effortlessly!

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features:

- 1x USB Type-C Female Port
- Retractable Prongs for Wall Outlet
- LED Power Indicator
- 20W Power Delivery and total power budget
- Meets USB-PD 3.0 and Qualcomm QC 3.0 standards
- Compatible with a wide variety of USB-C enabled devices – mobile phones, wireless earbuds and some lower power compatible tablets and laptops



Compatibility Examples:

- Google Pixel 3/2 +
- Samsung Galaxy S9/20 and more
- Tablets
- Modern (2018+) MacBooks
- Laptops
- And more USB enabled devices



4XEM Products Are Available At Your Favorite Online Retailers



Specifications:

Warranty Information	Warranty	1 year
Connector(s)	Charging Port(s) Power	1x USB Type-C Female Non-Polarized NEMA 1-15P Fixed with Retractable Prongs
Performance	Industry Standards	USB-PD 3.0 HiSilicon Fast Charging Protocol FCP Qualcomm QC 2.0/3.0/4.0 class A: 5V/9V/12V output
	Safety Standards	UL/CSA/CE/CB Compliance: IEC 62368-1:2014 (2nd Edition) FCC Compliance: CFR 47, FCC Part 15 Subpart B Energy Efficiency: CEC Level VI / CoC Tier II
Physical Characteristics	Colour	White
	Display	No
	LED Indicator	Power: Blue
	Power Cable Length	N/A
	Product Width	1.145in [29.1 mm]
	Product Height	1.96 in [49.9 mm]
	Product Length	2.00 in [50.9 mm]
	Weight of Product	2.63 in [66.9 mm] (with power prongs out) 2.33 oz [66 g]
Power	Total Power Budget	20W
	Power Delivery	20W
	Input Voltage	100-240VAC, 50Hz-60Hz @ 0.7A
	Output Voltage (QC)	3.6-12V DC (0.2V DC/STEP) @ 3A MAX
	Output Voltage (PD)	5V DC @ 3A 9V DC @ 2.22A 12V DC @ 1.67A
Environmental	Operating Temperature	0°C to 25°C (32°F to 77°F)
	Storage Temperature	-25°C to 55°C (-13°F to 131°F)
	Humidity	Operating: 25% to 90% (non-condensing) Non-Operating: 0% to 90% (non-condensing)
Packaging Information	Package Type	Box
	Package Width	4.15 in [105.5 mm]
	Package Height	4.33 in [110.0 mm]
	Package Length	1.31 in [33.3 mm]
	Shipping (Package) Weight	5.43 oz [90 g]
What's in the Box	Included in Package	1x 20W USB-C Charger
Notes	Notes	

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

