Product datasheet

Specifications



Battery Breaker Box for Easy UPS 3S & Easy UPS 3S Pro

Local distributor code:

422504016 E3SOPT007

Main

Product or component type	Box
Battery type	VRLA
Range of product	Easy UPS 3S
Range compatibility	Easy UPS 3S

Batteries & Runtime

Number of battery filled slots	0
Number of battery free slots	0

Physical

Height	65 cm
Width	50 cm
Depth	28 cm
Net weight	25 kg
Mounting mode	Not rack-mountable

Environmental

Ambient air temperature for operation	0…40 °C
Relative humidity	0…95 % non-condensing
Operating altitude	0...3333 ft
Ambient air temperature for storage	-15…40 °C
Storage Relative Humidity	0…95 % non-condensing
Storage altitude	0…15240 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	122 cm
Package 1 Width	51 cm
Package 1 Length	85 cm
Package 1 Weight	46.5 kg

Logistical informations

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	CN

Contractual warranty

Warranty (in months)	12

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**41136a9b-2979-4ad4-9ab9-8777ffc96f19**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**

Use Again

Repack and remanufacture

Take-back	**No**

Image of product / Alternate images

Alternative

