

MPN: HDM19193V1.4W

## HDMI 1.4 Cable, 3m

HDMI (High Definition Multimedia Interface) is one of the most used and acknowledged connections when transferring video and audio digitally from a source to a video display device or other compatible devices. This HDMI 1.4 cable is a High Performance and High Speed cable. It supports transfers up to 10.2 Gbps. It supports resolutions up to 4K@30Hz with HDCP 2.2, CEC, ARC and 3D.

- 4K@30Hz (3840\*2160p), including 3D video
- Gold-Plated Connectors
- Transfer rate : 10.2 Gbit/s
- HDCP 2.2
- Support ARC (Audio Return Channel)
- Support HDR (High Dynamic Range)
- Support CEC (Consumer Electronics Control)
- Integrated Ethernet channel which saves additional network or audio cables



## Specifications

<b>Battery</b>	<b>Battery Type</b>	NONE - Only use for non-battery items
<b>Features</b>	<b>3D</b>	Yes
	<b>Audio Return Channel (ARC)</b>	Yes
	<b>AWG wire size</b>	30
	<b>Bandwidth</b>	30 MHz
	<b>Cable jacket material</b>	Polyvinyl chloride (PVC)
	<b>Cable length</b>	3 m
	<b>Cable material</b>	Copper
	<b>Cable shielding</b>	Aluminum mylar foil
	<b>Connector 1</b>	HDMI Type A (Standard)
	<b>Connector 1 form factor</b>	Straight
	<b>Connector 1 gender</b>	Male
	<b>Connector 2</b>	HDMI Type A (Standard)
	<b>Connector 2 form factor</b>	Straight
	<b>Connector 2 gender</b>	Male
	<b>Connector contacts plating</b>	Gold
	<b>Data transfer rate</b>	10,2 Gbit/s
	<b>HDCP</b>	Yes
	<b>HDCP version</b>	1.4/2.2
	<b>HDMI Ethernet channel</b>	Yes
	<b>HDMI version</b>	1.4
	<b>High Dynamic Range (HDR) supported</b>	Yes
	<b>Maximum resolution</b>	3840 x 2160 pixels
	<b>Product colour</b>	White
	<b>Quantity per pack</b>	1 pc(s)

Features	RoHS compliance	Yes
	Quantity	1
Other features	Depth Verified	20,9 cm
	Gross Weight Verified	0,124 kg
	Height Verified	3,3 cm
	Width Verified	26,9 cm
Package dimensions (verified)	Net Weight (Product, kg)	0,12 kg
	Brand Name	MicroConnect
Product dimensions	Warranty	25 Year(s)
	Cable diameter	6 mm
Vendor information		
Weight & dimensions		

## Other products in this series

Cable length	
0,5	HDM19190.5V1.4W
1,0	HDM19191V1.4W
1,5	HDM19191.5V1.4W
2,0	HDM19192V1.4W
3,0	HDM19193V1.4W
5,0	HDM19195V1.4W
10,0	HDM191910V1.4W
15,0	HDM191915V1.4W