

27" 1080P 1 MS 120 HZ IPS MONITOR WITH HDMI, DP, AND VGA | VX2770-MHD

Key Features


- **DESIGNED FOR GAMING:** 27 Inch Full HD (1920x1080p) IPS gaming monitor with thin bezels
- **BUILT FOR SPEED:** 120 Hz refresh rate and 1 ms (MPRT) response time for fast gaming
- **VARIABLE REFRESH RATE:** Enjoy a fluid and tear-free gameplay experience
- **PLAY FOR LONGER:** Flicker-free technology and a blue light filter help reduce eye fatigue
- **OPTIMIZED VIEWING:** An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- **MULTIPLE CONNECTIVITY OPTIONS:** The VX2770-MHD supports laptops, PCs, and Macs with HDMI, DisplayPort, and VGA inputs



27
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

The ViewSonic® VX2770-MHD 24" (23.8" viewable) Full HD monitor is designed for top-tier gaming and entertainment. Variable refresh rate technology minimizes screen tearing and stuttering, delivering smooth, uninterrupted gameplay during fast-paced scenes. With a 120 Hz refresh rate* and 1 ms (MPRT) response time, you'll enjoy crisp visuals without motion blur or ghosting. Activate Game Mode with a hot key to optimize performance for FPS, RTS, or MOBA titles. The black stabilization feature reveals enemies in dark environments while preserving vivid color and strong contrast for a more immersive experience. With DisplayPort, HDMI, and VGA inputs, it's easy to connect your graphics card or gaming console. Upgrade your setup with the VX2770-MHD and take your gameplay and streaming to the next level.

*120Hz refresh rate available via DisplayPort and HDMI only.

Specifications

	More Information
UPC	766907033847
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	6 bit + FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	3ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	22w
Eco Mode (optimized)	25w
Consumption (typical)	28w
Consumption (max)	40w
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W

Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 1.4 = 30 ~ 167 KHz DisplayPort 1.2 = 30 ~ 167 KHz VGA = 30 ~ 86 KHz
Frequency Vertical	HDMI 1.4 = 30 ~ 120 Hz DisplayPort 1.2 = 50 ~ 120 Hz VGA = 48 ~ 75 Hz
Tilt (Forward/Back)	3° / 21°
Regulations	cSGSus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy
Net (lbs)	9.3
Net Without Stand (lbs)	7.6
Gross (lbs)	12.8
Net (kg)	4.2
Net Without Stand (kg)	3.5
Gross (kg)	5.8
Packaging (in.)	27.2" (W) x 20.5" (H) x 5.6" (D)
Physical (in.)	24.1" (W) x 18.19" (H) x 8.86" (D)
Physical Without Stand (in.)	24.1" (W) x 14.06" (H) x 1.81" (D)
Packaging (mm)	690mm (W) x 520mm (H) x 141mm (D)
Physical (mm)	612.18mm (W) x 462.11mm (H) x 224.94mm (D)
Physical Without Stand (mm)	612.18mm (W) x 357.22mm (H) x 46mm (D)
Package Contents	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907033847



Contact Sales
ViewSonic.com

888.881.8781
email:
salesinfo@viewsonic.com