

MPN: LVN-1U-24PORT-1G

Unmanaged 24-Port 10/100/1000Mbps Ethernet ports Full Gigabit Intelligent Ethernet Switch

The Lanview LVN-1U-24PORT-1G is a high-performance full gigabit intelligent Ethernet switch designed to enhance your network capabilities.

Featuring 24 Gigabit RJ45 ports with a robust bandwidth of 48 Gbps, this switch is engineered for optimal data transmission in both office and industrial environments.



It supports port isolation and an extended transmission distance of up to 250 meters.

Ideal for a wide temperature range of -10°C to 50°C, the LVN-1U-24PORT-1G is equipped with advanced features like QoS data prioritization and loop alarm systems, making it a versatile choice for demanding networking applications.

- Offers extensive connectivity options for high-speed devices.
- Each RJ45 port supports automatic adaptation to 10/100/1000Mbps speed.
- Supports VLAN, Default, and Extended modes for flexible network management.
- Automatic port flipping for simplified connections.
- Ports 1-8 support QoS

Spezifikationen

Certificates	NDA Compliance	Yes
Data transmission	MAC-Adresstabelle	8000 Eintragungen
	Paketweiterleitung	Yes
	Schaltleistung	48 Gbit/s
	Speichern und weiterleiten	Yes
	Weiterleitungstarif	35,71 Mpps
Design	Anzahl Fans	0 Lüfter
	Ein / Aus Schalter	No
	Gehäusematerial	Metal
	LED-Anzeigen	Link, Loop, Power
	RoHS-Konformität	Yes
Management features	Schalertyp	Unmanaged
Network	Auto MDI/MDI-X	Yes
	Halbduplex	Yes
	Netzwerkstandards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x
	Unterstützung der Flusskontrolle	Yes
	Vollduplex	Yes

Operational conditions	Betriebstemperatur (TT)	0-40 °C
	Lagertemperatur (TT)	-40 - 70 °C
	Relative Luftfeuchtigkeit bei Lagerung (HH)	5 - 95 %
	Relative Luftfeuchtigkeit im Betrieb (HH)	10 - 90 %
Other features	Material	Metal
	Power LED	Yes
Package dimensions	Depth (package,cm)	26,2 cm
	Gross Weight	1,66 kg
	Height (package,cm)	8,4 cm
	Width (package,cm)	31,2 cm
Packaging data	Handbuch	Yes
Ports & interfaces	Grundlegende Anzahl von RJ-45-Ethernet-Ports	24
	Grundlegender Switching-RJ-45-Ethernet-Porttyp	Gigabit Ethernet (10/100/1000)
Power	AC-Eingangsspannung	100-240 V
	Überspannungsschutz	Yes
	Überspannungsschutzspannung	4 kV
Product dimensions	Height (product,cm)	4,4 cm
	Net Weight	1,16 kg
	Tiefe cm	18,1 cm
	Width (product,cm)	26,8 cm
Technical details	Garantiezeit	3 Jahr(e)
Vendor information	Brand Name	Lanview
	Warranty	3 Jahre)

Weitere Bilder

