

Product datasheet

Specifications



Power Cord Kit (6 ea), Locking, C13 TO C14, 0.6m, Red

AP8702S-WWX340

Overview

Lead time Usually in Stock

Main

Product or component type Power cord
Input Connection Type IEC 60320 C14
Cable length 0.6 m
Number of cables 6

Physical

Colour Red
Height 24 cm
Width 7 cm
Depth 4 cm
Net weight 0.7 kg
Mounting preference No preference
Mounting mode Not rack-mountable

Input

Max line current 10 A
Input current limits 10 A

Output

Max current draw 10 A
Number of power socket outlets 1 IEC 60320 C13
Power cable length 0.6 m

Conformance

Product certifications CCC
PSE
VDE

Environmental

Ambient air temperature for operation 0...70 °C
Relative humidity 20...80 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...75 °C
Storage Relative Humidity	20...80 %
Storage altitude	0.0000000000...15240.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24 cm
Package 1 Width	4 cm
Package 1 Length	7 cm
Package 1 Weight	0.7 kg

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Take-back Transparency RoHS/REACH


Resource performance

 Take-Back Program Available

Well-being performance

 Toxic Heavy Metal Free

 Mercury Free

 Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
