

First EcoStruxure Ready Smart-UPS offer with more active power and connectivity options, through the SmartConnect Ethernet Port and latest generation Network Management Card pre-installed*.







EcoStruxure Ready Smart-UPS

Trusted Protection. Simple Monitoring and Management.



120M

installed worldwide today

APC award-winning Smart-UPS™ are trusted by millions of IT professionals to help protect equipment and critical data from costly interruptions by supplying clean, reliable, network-grade power.

Standard models are the most popular UPS in the world for business servers, storage and network devices and have long been considered the benchmark for reliability and manageability.

To continue delivering top-of-the-line industry offers and ensure business continuity for our customers. APC is now introducing: EcoStruxure™ Ready Smart-UPS - a connected solution that provides premium power protection, while enabling you to remotely monitor and manage your IT infrastructure via a secure, cloud-based software.



All of this makes life much easier for me on and off hours. It helps to keep me less tethered to my office. When we are hit by a storm, I only need to spend a minute on my phone and no longer need to setup a laptop, and fight for remote access to the network. That gives me more time to spend with my own family." Alan Silcott

Network Director Bainbridge Island School District

*For select models

Ideal power protection for:



















Smart-UPS Line Interactive models

Power Output

Lithium-Ion Battery Option

Sinewave Output

Rack/Tower Convertible

Extended Battery Pack

EcoStruxure Compatible

SmartConnect Ethernet

Port


SmartSlot

Power Chute Software

ESSENTIAL SMC Series				
1000/1500VA				
\bigcirc				
\bigcirc				
X				
×				
\bigcirc				
\bigcirc				
×				
Business Edition (PCBE)				

SMT Series
750/1000/2200/3000VA
\bigcirc
\bigcirc
×
×
\bigcirc
\bigcirc
\bigcirc
Business Edition PCBE Network Shutdown (PCNS)

ADVANCED





Small Business Owner





Mid-market IT Professional





Enterprise IT Professional









EcoStruxure IT at-a-glance

EcoStruxure IT is a digital solution that revolutionizes the way IT and data center professionals monitor and manage their critical IT infrastructure on-premise, in the cloud and at the edge.

The vendor-neutral architecture delivers a new standard for proactive insights on critical assets that impact the health and availability of an IT environment with the ability to deliver actionable real-time recommendations to optimize infrastructure performance and mitigate risk.



Visibility, anytime, anywhere



More Uptime



More Flexibility



Peace of Mind



Customer testimonial on EcoStruxure IT Expert: https://youtu.be/UyAosCLvQDs

Key benefits include:

- Global visibility across the hybrid ecosystem from anywhere with one tap access right from your smartphone
- Device information, smart alarms and monitoring through open system collecting data from all devices, regardless of vendor
- Foresight into potential risks by leveraging global benchmarks and analytics in the EcoStruxure data lake
- Ease of deployment through a convenient subscription model for any size environment










How to get started

You can choose a hands-on or hands-off approach from one of four options, best suited to your needs.



EcoStruxure Ready Smart-UPS Portal (formerly SmartConnect)

The do it yourself basic monitoring

Secure web portal for basic monitoring. Provides visibility direct to the customer to help make proactive decisions and maximize uptime.

Ideal for small and medium businesses who prefer to self-manage

EcoStruxure IT Expert

The do it yourself advanced monitoring

We empower you to monitor and service customers on your own or provide EcoStruxure IT Expert to your customers who prefer a self-managed option.

Ideal for distributed IT sites and businesses with mixed IT environments.

EcoStruxure IT Asset Advisor

We advise, you maintain

We provide monitoring services, and you handle the maintenance. This option appeals most to partners who want to use their own on-site service.

EcoStruxure IT Monitoring and Dispatch

We monitor and service

We provide monitoring and maintenance services on your behalf. Ideal for IT solution providers who want to add service without additional cost to your business model.



Connect to EcoStruxure IT from one of three options:



EcoStruxure Ready Smart-UPS Web Portal via the Port

- 1. Install the UPS unit
- 2. Scan the QR code
- 3. Register the UPS to the web portal



EcoStruxure IT Software & Services via the Port

- 1. Install the UPS unit
- 2. Login into EcoStruxure IT App
- 3. Scan the QR code
- 4. Register the UPS with EcoStruxure IT Expert



EcoStruxure IT Software & Services via the Network Management Card

- 1. Register to EcoStruxure IT
- 2. Download the EcoStruxure IT Gateway
- 3. Discover your devices

Additional Year of Battery Warranty for FREE when you connect and register to the Smart-UPS Portal









EcoStruxure Ready Smart-UPS X Extended Run Energy Star Certified SMX 750-1500 VA, 120V

EcoStruxure Ready Smart-UPS X ENERGY STAR® Certified Line Interactive SMX 750-1500VA models is the first released series of the EcoStruxure™ Ready Smart-UPS™ family.

The new SMX series models provide best in-class reliability, certified energy efficiency and connectivity to EcoStruxure IT to keep your business running through prolonged outages.





The EcoStruxure Ready Smart-UPS X ENERGY STAR® Certified Line Interactive SMX 750-1500VA models can be used as a standalone UPS or installed in an APC NetShelter: SX series, SV series, CX2 series and WX series wall-mount racks sold in North America







Keep your business going through prolonged power outages



Designed for IT Managers and Network Administrators to protect:

Network Closets



Server Rooms



Small Data Centers



Extended Runtime:

	SMX750C SMX750CNC	SMX1000C	SMX1500RM2U SMX1500RM2UNC
Half	25.6 mins	19.7 mins	14.8 mins
Full	12 mins	8 mins	5 mins

^{*}Runtime varies according to devices, usage and power settings. The higher battery power (VA, the longer runtime provided).







SMX Models 750-1500VA



SMX750C

SMX1500RM2UCNC



SMX750CNC

Advanced Features

More Active Power

With a 0.9 power factor, helping to reduce energy costs by up to 30%

Network Management Card: Preinstalled for 750CNC and SMX1500RM2UCNCN

Switched Outlet Groups:

Enables you to reboot hung devices, shed non-critical loads to conserve runtime and sequence start-up / turn off

Smart Battery Management:

Innovative, dynamic recommended battery replacement date indicator

Extended range automatic voltage regulation:

Provides enhanced brownout protection, boosting incoming voltage up to 30% without using battery power

Configurable, multi-lingual LCD display:

Clear and accurate, menu-driven display for easy set-up and customization with or without software installation





SMX1500RM2UC







Accessories and services

EcoStruxure Ready Smart-UPS X ENERGY STAR® Certified Line Interactive SMX 750-1500VA models are compatible with a full range of accessories, making it easy to integrate into different environments.

Accessories

Replacement Battery Cartridges External Battery Packs APCRBC116 for 750-1000VA APCRBC115 for 1500VA

SMX48RMBP2U

Service Bypass Panels SBP1500RM

USB Wi-Fi Device AP9834









Network Management Cards AP9640





Services

Monitoring and Dispatch

- 5-yr: W5YONSITENBD-SP-02
- 3-yr: W3YONSITENBD-SP-02
- 1-yr: W1YONSITENBD-SP-02

Warranty Extension for Renewal or High Volume

- 3-yr: WEXTWAR3YR-SP-02
- 1-yr WEXTWAR1YR-SP-02

Warranty Extension

- 3-yr: WBEXTWAR3YR-SP-02
- 1-yr: WBEXTWAR1YR-SP-02

Software/Firmware Options

EcoStruxure IT



SmartConnect



PowerChute







Product family

SKU technical specifications

	SMX750C SMX750CNC	SMX1000C	SMX1500RM2UC SMX1500RM2UCNC		
Power Rating (VA/Watt)	675W/750VA	900W/1000VA	1350W/1500VA		
Form Factor		Rack/Tower Convertible			
Power Factor		0.9			
nput					
nput voltage range for main operations	82 - 144 (75 - 154V)				
nput connections	NEMA 5-15R				
nput frequency	47Hz ~ 63Hz				
Output					
Nominal output voltage	120 Vac +/- (2% + 1.3V)				
Topology	Line Interactive				
On-line / Green Mode efficiency at full load	98.73%	98.86%	98.85%		
Output connections (NEMA)		(8) 5-15R			
Switched outlet group	1	2	3		
Battery					
Battery type		Lead-Acid			
Hot swappable battery		Yes			
Typical backup time at full load	13 mins	8 mins	5 mins		
Replacement battery model # (quantity)	APCRBC116	APCRBC116	APCRBC115		
External battery pack model #		SMX48RMBP2U			
Communications and management	, , , , , , , , , , , , , , , ,				
nterface ports	Serial (RJ45), USB and SmartSlot				
SmartConnect Ethernet Port	Yes				
Display	LCD (multi-lingual) Yes				
Emergency power off (EPO) Surge Protection					
Surge energy rating	540 joules				
Physical					
Dimensions H x W x D, inches (mm)		89 x 432 x 490mm			
Weight, lb (kg)	22.05 kg	22.86 kg	24.82 kg		
Environmental					
Operating temperature	0 ~ 40 deg C				
Storage temperature	-20 to 55C (short term storage		ge)		
Relative humidity	0-95%, non-condensing				
Operating elevation	0 ~ 3000 meters				
Storage elevation	0 ~ 15000 meters				
Audible noise at 1 m from surface of unit	<45 dBA at one meter (3 ft)				
Conformance					
Regulatory approvals	UL1778 2nd, CSA22.2 107.1				
Equipment Protection Policy	\$150,000				
Standard warranty		3-year			



Ready to get started?

Visit apc.com/smart-ups to try the EcoStruxure Ready Smart-UPS Extended Run x Energy Star Certified SMX Series 750-1500 VA, 120V Models.

132 Fairgrounds Rd West Kingston, RI 02892 Phone: + 1 (401) 789-5735 www.apc.com