




VX2767-MHD - 27" 1080P 1MS 100HZ FREESYNC MONITOR WITH HDMI, DP, AND VGA

Key Features


- 27 Inch Full HD (1920x1080p) MVA gaming monitor with thin bezels
- 100Hz refresh rate and 1ms (MPRT) response time for fast gaming
- AMD FreeSync technology enables fluid and tear-free gameplay
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- The VX2767-MHD supports laptops, PCs, and Macs with HDMI, DisplayPort, and VGA inputs




FULL HD (1920 x 1080P) RESOLUTION



27
DISPLAY



MVA
PANEL



1920x1080
RESOLUTION



Product Description

The ViewSonic® VX2767-mhd is a 27" Full HD price-performance monitor built for gaming and entertainment. Equipped with AMD FreeSync, this monitor's variable refresh rate capabilities virtually eliminate screen tearing and stuttering for fluid game play during fast-paced action scenes. An ultra-fast 1ms response time (MPRT) provides smooth screen performance free from blurring or ghosting. For a game winning competitive edge, a Game Mode hot key optimizes gameplay for FPS, RTS and MOBA. On top of that, a black stabilization function helps you target enemies lurking in the dark, while enabling the monitor to maintain brilliantly rich colors and contrast for total immersion. Flexible connectivity options such as DisplayPort, HDMI, and VGA allow you to connect to your dedicated graphics card and gaming console. The VX2767-mhd features all the perks needed to dominate all your gaming and entertainment quests.


Specifications

[More Information](#)

UPC	766907012248
Screen Size	27
Viewable Area (in.)	27
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit+FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (GTG w/OD)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hardness 3H, Haze 40%
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	23W
Eco Mode (optimized)	26W
Consumption (typical)	30W
Consumption (max)	40W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)

On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI (v1.4): 15 ~ 83 KHz, DisplayPort: 24 ~ 83 KHz
Frequency Vertical	HDMI (v1.4): 50 ~ 100 Hz, DisplayPort: 50 ~ 100 Hz
Tilt (Forward/Back)	5º / 23º
Net (lbs)	9.7
Net Without Stand (lbs)	8.2
Gross (lbs)	13.2
Net (kg)	4.4
Net Without Stand (kg)	3.7
Gross (kg)	6.0
Packaging (in.)	26.8 x 18.1 x 5.9
Physical (in.)	24.2 x 17.8 x 8.9
Physical Without Stand (in.)	24.2 x 14.5 x 1.9
Packaging (mm)	680.0 x 459.0 x 151.0
Physical (mm)	614.0 x 452.0 x 225.0
Physical Without Stand (mm)	614.0 x 368.0 x 47.0
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, NOM, Mexico Energy
Package Contents	VX2767-MHD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907012248



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
888.881.8781
email: salesinfo@viewsonic.com