

Product datasheet

Specifications



Extension Cable for use w/ UPS communications cable 15'5m

AP9815

Overview

Lead time Usually in Stock

Main

Cable length 4.6 m

Number of cables 1

Product compatibility UPS

Physical

Colour Grey

Net weight 0.45 kg

Mounting location Front

Mounting mode Not rack-mountable

Cable end 2 SUB-D 9 male Serial Straight Through

Cable end 1 SUB-D 9 female Serial Straight Through

Environmental

Storage Relative Humidity 0...95 %

Storage altitude 0.000000000...15240.000000000 m

Ambient air temperature for operation 0...45 °C

Relative humidity 0...95 %

Operating altitude 0...10000 ft

Ambient air temperature for storage -15...45 °C

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 22.9 cm

Package 1 Width 5.1 cm

Package 1 Length 10.2 cm

Package 1 Weight 0.45 kg

Contractual warranty

Warranty

2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

Resource performance

 Energy Efficient Product

 Take-Back Program Available

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

[End of Life Information](#)