

VIEWSONIC 27" 1080P ERGONOMIC 100HZ MONITOR WITH HDMI, DISPLAYPORT, AND USB HUB

Key Features


- 27 Inch Full HD (1920x1080p) LED monitor with thin bezels and 100Hz refresh rate
 - Advanced ergonomics (tilt, swivel, rotate and height) for all-day comfort
 - Easy-to-install quick release stand with carrying handle and client mount
 - Eco friendly easy-open box for streamlined monitor setup
 - The VG2751 supports laptops, PCs, Macs, and more with HDMI, DisplayPort, and VGA inputs, as well as a USB hub featuring USB-C, USB-A, and USB-B ports.
-



27
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION

Product Description

The ViewSonic® VG2751 delivers versatile connectivity with HDMI, DisplayPort, and VGA inputs, ensuring seamless compatibility with both modern and legacy systems. Its integrated USB hub features USB-A, USB-B, and USB-C ports with 15W Power Delivery, enabling direct connection of essential peripherals while minimizing cable clutter. For added convenience, quick-access USB ports located on the chin of the monitor support fast, easy plug-in of accessories in dynamic workspaces. With a frameless IPS panel, the VG2751 delivers stunning brightness and contrast at nearly any viewing angle. A three-year limited warranty, along with one of the industry's best pixel performance policies, makes the VG2751 a great overall value choice.

Specifications

More Information

UPC	766907034462
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1


Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	300 cd/m ²
Colors	16.7M
Color Space Support	6 bit + Hi-FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	100Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type A	2
USB Type B	1
USB Type C	2
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	84w
Eco Mode (optimized)	87w
Consumption (typical)	90w
Consumption (max)	95w
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Joystick key: Up, Right, Down, Left, Center; Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 1.4 = 24 ~ 110 KHz / VGA = 24 ~ 82 KHz / DisplayPort = 24 ~ 110 KHz
Frequency Vertical	HDMI 1.4 = 50 ~ 100 Hz / VGA = 50 ~ 75 Hz / DisplayPort = 50 ~ 100 Hz

Height Adjust	150 mm / 5.9 in
Swivel	90°
Pivot (Right/Left)	90° / 90°
Tilt (Forward/Back)	5° / 30°
Regulations	cSGSsus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy
Net (lbs)	15
Net Without Stand (lbs)	10.5
Gross (lbs)	21
Net (kg)	6.8
Net Without Stand (kg)	4.8
Gross (kg)	9.5
Packaging (in.)	27.6 x 16.7 x 6.5
Physical (in.)	24.05 x 15.84~20.64 x 8.60
Physical Without Stand (in.)	24.05 x 14.12 x 1.76
Packaging (mm)	702 x 425 x 166
Physical (mm)	610.90 x 402.32~524.49 x 218.47
Physical Without Stand (mm)	610.90 x 358.62 x 44.76
Package Contents	LCD Display, Power Cable, HDMI Cable, USB-A/B Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907034462

Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 