

HP LaserJet M3035 MFP series M3035 • M3035xs



Empower workteams with print, copy, scan, fax, and digital sending functionality in one convenient device.

Efficient

Get more done in less time. The MFP delivers print and copy speeds of up to 35 pages per minute (ppm) and a first page out in under 10 seconds with Instant-on Technology. The unique HP toner formula is engineered to deliver consistent, great-looking documents at fast speeds.

Accelerate existing workflows. The MFP comes standard with send to e-mail, send to network folder, network authentication, and LDAP support embedded in the device for easy integration into your existing infrastructure. Add optional HP Digital Sending Software 4.3 for send to ftp sites and fax services.¹ Consider optional HP AutoStore software to improve paper-intense workflows by connecting the MFP to document management solutions.

Reduce interruptions. The MFP supports up to 1,100 sheets² plus a 20-sheet convenience stapler for easy finishing. A 50-sheet reversing automatic document feeder (ADF) provides effortless copying and scanning of multi-page documents.

Easy

Experience simple, dependable networking. The MFP features IPv6-ready³ best-in-class networking and management tools via the HP Jetdirect Fast Ethernet embedded print server. HP Web Jetadmin offers remote installation, configuration, and proactive management.

Expandable

Add the solutions your business needs. An FIH port, open EIO slot, and host USB port allow you to easily expand the MFP's capabilities. Add HP and third-party solutions such as additional fonts, forms, barcode printing, and market-leading solutions for document capture, job accounting, and security. Get investment protection with access to IPSec TCP/IP security, Gigabit Ethernet, and wireless network compatibility.

Reliable

Expect consistency. Original HP cartridges are carefully designed with HP Smart printing technology⁴ to automatically optimize print quality and consistency throughout cartridge life, provide pages-remaining data and alerts when supplies run low, and facilitate convenient supplies reordering through HP SureSupply.⁵

¹ Fax functionality and 20-sheet convenience stapler come standard on the M3035xs model only and cannot be added to the M3035 model as accessories. ² The extra 500-sheet input tray comes standard on the M3035xs model only and can be added to the M3035 model as an accessory.

³ IPv6 is only supported with Microsoft® Server 2003 and Windows XP® (print only).

⁴ Using genuine HP supplies ensures availability of all HP printing features.

⁵ For more information, visit <u>www.hp.com/learn/suresupply</u>.

HP LaserJet M3035 MFP series

- 50-sheet reversing automatic document feeder (ADF) supports the two-sided copying and scanning of doublesided originals up to legal size
- 2 Easy-to-use touch-screen control panel with 13-key number pad provides effortless device interaction
- 3 Front door print cartridge access
- 4 100-sheet multipurpose input tray handles heavy custom paper up to 53 lb (199 g/m²)
- 5 Adjustable 500-sheet input trays 2 and 3 for a 1,100-sheet input capacity
- 6 20-sheet convenience stapler (M3035xs model only)
- 7 250-sheet output bin
- 8 Automatic two-sided printing
- 9 RJ-11 fax port
- 10 HP Jetdirect Fast Ethernet embedded print server (RJ-45 network port)
- 11 Foreign interface harness (FIH) port supports HP and third-party solutions
- 12 Host USB port for additional functionality
- 13 Hi-Speed USB 2.0 port for direct connection
- 14 256 MB total memory and a powerful 400 MHz processor perform complex tasks quickly
- 15 Open EIO slot for additional functionality
- 16 Built-in hard disk for effective digital sending, private printing, and job storage



Series at a glance



HP LaserJet M3035 MFP (CC476A)

- HP Jetdirect Fast Ethernet embedded print server
- Hi-Speed USB 2.0 port
- 256 MB total memory and a 400 MHz processor
- Open EIO slot
- Built-in HP high-performance EIO hard disk
- 50-sheet ADF automatically scans two-sided documents up to legal size
- Flatbed scanner
- 100-sheet multipurpose input tray and a 500-sheet input tray 2 for a 600-sheet input capacity

HP LaserJet M3035xs MFP (CC477A)

- All the features of the base model, plus:
- Analog faxing
- 20-sheet convenience stapler
- 500-sheet input tray 3 for a 1,100-sheet input capacity

HP LaserJet M3035xs MFP shown

Simplicity, convenience, and outstanding support make the HP LaserJet M3035 MFP series the perfect choice for small workteams with no time to worry about device management.



Secure printing

For many businesses, information is one of their most valuable assets. The HP LaserJet M3035 MFP series is designed to protect critical information—in both hardcopy and electronic form-and simplify the way you manage your environment with easy tools and checklists.

- Private Printing lets you protect confidential documents by allowing you to hold a job for printing until you release it using a 4-digit Personal Identification Number (PIN) at the MFP's control panel.
- HP Secure Storage Erase makes sure that data you want to eliminate is unrecoverable. Unless otherwise specified, the MFP deletes data from the hard disk when the print job is finished.
- Our renowned family of HP Jetdirect connectivity products support a wide range of industry-standard and trusted security protocols, including 802.1x for Wired Networks, SNMPv3 and HTTPS, and Secure IPP (IPP-S) and IPSec.⁶
- Network authentication (LDAP, SMTP) adds another layer of security by allowing administrators to control device access. By requiring users to log in, administrators can limit usage of all the device features, or of just the copying or sending functions.

Go to www.hp.com/go/secureprinting for more information.

Get the most out of your MFP with HP accessories, supplies, and services.











Q7817A

500-sheet input tray offers an input capacity of up to 1,100 sheets.

J7989G

HP high-performance EIO hard disk provides convenient storage.

J7961G

HP Jetdirect 635n IPv6/IPSec Internal Print Server delivers the latest in network security.

J7951G

Enjoy wireless networking with the HP Jetdirect ew2400 802.11g Wireless External Print Server (USB 2.0).

Choose from a selection of HP Brochure and Flyer papers to create impressive, professional marketing materials.

Put the power of HP Imaging and Printing Services to work to improve productivity and reduce costs. Select predefined services or tailor your own to meet your precise needs.

HP LaserJet M3035 MFP	CC476A
HP LaserJet M3035xs MFP	CC477A
Paper handling	070174
500-sheet input tray	Q7817A
HP LaserJet Black Print Cartridge with Smart Printing Technology. Average cartridge yield	Q7551A
6,500 standard pages. ⁷	Q/SSTA
HP LaserJet Black Print Cartridge with Smart Printing Technology. Average cartridge yield	Q7551X
13,000 standard pages. ⁷	Q7432A
Staple cartridge refill (2 cartridges, 1,500 staples each) Memory/storage	G/43ZA
128 MB 100-pin DDR DIMM	Q7718A
	Q7718A Q7719A
256 MB 100-pin DDR DIMM	
512 MB 100-pin DDR DIMM	Q7720A J7989G
HP high-performance ATA EIO hard disk	J/989G
	170000
HP Jetdirect en 1700 USB 2.0 Print Server ⁸	J7988G
HP Jetdirect en 3700 USB 2.0 Print Server ⁹	J7942G
HP Jetdirect ew2400 802.11g Wireless External Print Server ⁹	J7951G
HP Jetdirect 175x Fast Ethernet USB External Print Server ⁹	J6035G
HP Jetdirect 630n IPv6 Gigabit Ethernet Print Server	J7997G
HP Jetdirect 635n IPv6/IPSec Internal Print Server	J7961G
HP Jetdirect 620n Fast Ethernet Print Server	J7934G
HP 1284B parallel card	J7972G
Hi-speed USB A to B printer cable (2-meter)	C6264A
Digital sending software	
HP Digital Sending Software 4.3	T1936AA
HP AutoStore	T1943AA
Service and support	
3-year next business day hardware support	UE685E
4-year next business day hardware support	UE686E
5-year next business day hardware support	UE687E
3-year 4 hour response 9x5 hardware support	UE688E
4-year 4 hour response 9x5 hardware support	UE689E
5-year 4 hour response 9x5 hardware support	UE690E
3-year 4 hour response 13x5 hardware support	UE691E
1-year post-warranty 4 hour response 9x5 hardware support	UE694PE
1-year post-warranty 4 hour response 13x5 hardware support	UE695PE
1-year post-warranty next business day hardware support	UE696PE
Network install mid-range LaserJet MFP service	U2010E
Extended warranty options: <u>www.hp.com/support</u>	
Paper	
North America: <u>www.hp.com/go/paper</u>	

Latin America: contact HP via phone

USA: 1-800-477-5010, Europe : +800 7644 7644, Asia: 65-6253-8500, Australia/New Zealand: 61-2997-2299LAR, Brasil: sac 0800 70 300 70

utions www.hp.com/go/gsc

⁶ Currently only the HP Jetdirect 635n IPv6/IPSec print server supports Secure IPP (IPP-S) and IPSec capabilities.

⁷ Declared yield value in accordance with ISO/IEC 19752. For page yields and other cartridge options, see <u>www.hp.com/go/pageyield</u>.

⁸ Supports printing only, no software scan, no webscan.

⁹ Supports printing only, no webscan

HP Laserlet M3035 MFP series

Technical specifications	HP LaserJet M3035 MFP (CC476A)	HP LaserJet M3035xs MFP (CC477A)	
Print and copy speed		Up to 35 pages per minute (pp	om), letter; up to 33 ppm, A4 ¹⁰	
First page out	Less than 10 seconds			
Resolution	Up to 1200 dpi, FastRes 1200, ProRes 1200 (1200 by 1200 dpi), REt (Resolution Enhancement technology)			
eatures	· · · · ·	· · ·		
Copying	Up to 1000 multiple copies, reduce/enlarge from 25 to 400% (from scanner glass), two-sided copying, contrast adjustments, mixed originals, image adjustment paper selection, content orientation, pages per sheet, booklet format, optimize text/picture, job build, edge to edge			
Scanning	Color flatbed scanner or ADF; scan input modes: front-panel scan, copy, fax (M3035xs only), e-mail; file types: PDF, JPG, TIFF, MTIFI		copy, fax (M3035xs only), e-mail; file types: PDF, JPG, TIFF, MTIFF	
Faxing	Not available		Up to 33.6 kbps, auto fax reduction, fax forwarding, fax polling, broadcasting to up to 100 locations, speed dial (up to 100 lists), junk barrier, remote retrieval capability, auto redialing, Windows® faxing supported	
Digital sending Processor	Send to e-mail, send to network folder, LDAP and SMTP authentication, LDAP addressing; file formats: PDF, JPG, TIFF, MTIFF 400 MHz			
Memory/storage	256 MB DDR RAM (fixed), expandable to 512 MB via one open DDR DIMM slot; Memory Enhancement technology (MEt); HP high-performance EIO hard dis			
Recommended monthly page	2,000 to 6,000 pages			
Duty cycle ¹²	Up to 75,000 pages per month			
Languages and fonts	HP PCL6, HP PCL5, HP postscript level 3 emulation, direct PDF printing (v 1.4); 80 scalable TrueType fonts			
Paper				
Handling	100-sheet multipurpose input tray 1, 500-sheet input tray 2, 50-sheet two-sided reversing automatic document feeder (ADF), 250-sheet output bin, automatic two-sided printing		100-sheet multipurpose input tray 1, 500-sheet input trays 2 and 3, 50-sheet two-sided reversing automatic document feeder (ADF), 250-sheet output bin, automatic two-sided printing, 20-sheet convenience stapler	
Sizes	Multipurpose input tray 1: 3 by 5 in (76 by 127 mm) to 8.5 by 14 in (216 by 356 mm); letter, legal, executive, envelopes 500-sheet input trays 2 and 3: 5.8 by 8.3 in (148 by 210 mm) to 8.5 by 14 in (216 by 356 mm); letter, legal, executive automatic two-sided printing unit: letter, legal; flatbed scanner: up to 8.5 by 14 in (216 by 356 mm); ADF: letter, legal, executive, custom			
Weights	Multipurpose input tray 1 (straight through paper path for special paper): 16 to 53 lb (60 to 199 g/m²); 500-sheet input trays 2 and 3: 16 to 32 lb (60 to 120 g/m²); ADF: 16 to 28 lb (60 to 105 g/m²)			
Types	Paper (plain, printed, letterhe	ad, prepunched, bond, recycled	l, color, rough), transparencies, labels, envelopes, card stock	
Connectivity				
Interfaces	One HP Jetdirect Fast Ethernet embedded print server, one Foreign Interface Harness (FIH) port, one USB type A port for adding accessories, one USB type B port for printing, one open EIO slot		One HP Jetdirect Fast Ethernet embedded print server, one Foreign Interface Harness (FIH) port, one USB type A port for adding accessories, one USB type B port for printing, one open EIO slot, one analog fax port	
Operating systems	Full software installation: Microsoft® Windows® XP® (32-bit), Windows Server 2003 (32-bit), Windows 2000; printer driver only: Windows XP (64-bit) (Web only); Windows Server 2003 (64-bit) (Web only); Linux (Web only); UNIX model scripts (Web only); Mac OS X v10.2.8, v10.3, v10.4 and later			
Network protocols	IPv6: ¹³ DHCPv6, HTTP, HTTPS, Port 9100, LPD, IIP, Secure IIP, MLDv6, ICMPv6 IPv4: FTP, IPP, Secure IPP, Auto-IP, Apple Bonjour Compatible, Telnet, SLP, IGVPv2, BOOTP/DHCP, WINS, SNMPv1/v2c/v3, TFTP, HTTP, HTTPS, Port9100, LPL Other: IPX/SPX, DLC, LLC, AppleTalk, Netware NDS, Binary, NCP			
Security		Private print, HP Secure Storage Erase, network authentication (LDAP, SMTP), HP Jetdirect - 802.1x for Wired Networks, SNMPv3 and HTTPS, Secure IPP (IPP-S and IPSec ¹³		
Dimensions (W by D by H)	20.5 by 20 by 21.7 in (520 by 50	08 by 550 mm)	20.5 by 20 by 27.2 in (520 by 508 by 690 mm)	
Weight	60.6 lb (27.6 kg)		73.5 lb (33.4 kg)	
What's in the box	Both models include: print cartridge, support	flyer, power cord, control pane	el overlays, software/documentation CD, Getting Started Guide, wall poster	
	Also includes: HP LaserJet M3	3035 MFP	Also includes: HP LaserJet M3035xs MFP (with 20-sheet convenience stapler, analog fax, additional 500-sheet input tray), phone cord	
Warranty	С	ne-year on-site warranty; 24-ho	ur, 7 days a week phone support	
Environmental ranges	42 to 77 document 5 (17 5 to 25 0 document 6)	Acoustics ¹⁵ Sound power		
Recommended temperature Storage temperature Operating relative humidity	63 to 77 degrees F (17.5 to 25.0 degrees C) -4 to 104 degrees F (-20 to 40 degrees C) 30 to 70 percent, non-condensing	Sound power Bystander sound pressure Certifications	Active: 6.5 B(A) printing, 6.8 B(A) copying, Ready: inaudible Active: 56 dB(A) printing, 54 dB(A) copying, Ready: inaudible	
Altitude Power specifications ¹⁴ Required input voltage	0 to 10,000 ft (0 to 3,100 m) 110-volt models: 110 to 127 volts (± 10 percent), 60	Safety	Canada (cUL·CAN/CSA C22.2 No.60950-1-03), USA (UL-UL 60950-1; FDA-21 CFR Chapter 1 Subchapter J for lasers). Class 1 Laser/LED Product.	
requirea input voltage	Hz (± 2 Hz), 7.5 amp 220-volt models: 220 to 240 volts (\pm 10 percent), 50 Hz (± 2 Hz), 7.5 amp 220-volt models: 220 to 240 volts (\pm 10 percent), 50 Hz (± 2 Hz) 4.5 mm	EMC	CISPR 22:1993 / EN 55022:1994 Class A, EN 61000-3-2:2000, EN 61000-3-3:1995, EN 55024:1998, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 4 / GB9254-1998, CD174615 2002 ENC Direction 20 (234/EEC and the Law Values Direction 72 (23/EEC	

28.5 watts; Sleep: 24.0 watts; Off: 0.1 watts Typical Electricity Consumption (TEC): 6.331 kWh/Week

Power consumption

ENERGY STAR® qualified models; see www.hp.com/go/energystar

HP SureSupply enabled To learn more, please visit www.hp.com/go/sures ¹⁰ Exact speed varies depending on the system configuration, software program, and document complexity. Speed specifications have been updated to reflect current industry testing methods.

11 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended

warranty period. ¹² Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ¹³ IPv6 is only supported with Microsoft Server 2003 and Windows XP (print only).

Telecom

Hz (±2 Hz), 4.5 amp

Printing: 610 watts; Copying: 620 watts; Ready:

14 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ¹⁵ Configuration tested: base model, simplex printing, A4 paper at an average of 33 ppm.

RD - USB Mac

© Copyright 2007 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S marks. Microsoft, Windows, and Windows XP are U.S. registered trademarks of Microsoft Corp. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.



GB17625.1-2003, EMC Directive 89/336/EEC and the Low Voltage Directive 73/23/EEC,

TBR-21:1998; EG 201 121:1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-

and carries the CE-Marking accordingly

1999 (Mexico)

To learn more, visit <u>www.hp.com</u> 4AA1-5419ENUC, October 2007, Rev. 1