

Product datasheet

Specifications



APC Performance SurgeArrest 8 outlets with Phone & Coax Protection 230V UK

PMF83VT-UK

⚠ Discontinued on: 14 Feb 2024

⚠ To be end-of-service on: 30 Sept 2024

⚠ To be discontinued

Overview

Lead time Usually in Stock

Main

Main Input Voltage	230 V
Input Connection Type	BS1363A British
Cable length	3.00 m
Number of cables	1
Provided equipment	User manual

Physical

Colour	White
Height	6.17 cm
Width	32.65 cm
Depth	11.03 cm
Net weight	1.05 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Network frequency	50 Hz +/- 5 Hz
Maximum input current	13 A
Switching current capacity	13 A

Output

Number of power socket outlets	8
Outlet standard	BS 1363 United Kingdom

Conformance

Product certifications	CE
Equipment protection policy	Lifetime : \$100000

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...90 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-5...40 °C
Storage Relative Humidity	0...95 % non-condensing
Storage altitude	0.0000000000...4572.0000000000 m

Surge Protection and Filtering

Common mode rejection	60 dB
Peak current	48 kAcommon mode 60 kAnormal mode
Surge energy rate	2690 J

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	17 cm
Package 1 Length	36.5 cm
Package 1 Weight	1.19 kg
Number of Units in Package 2	6
Package 2 Weight	7.59 kg
Number of Units in Package 3	156
SCC14	10731304313226

Contractual warranty

Warranty	Limited Lifetime (European Union countries only)
----------	--

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

Reach Free Of Svhc

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)