





# Power Cord Kit (6 ea), Locking, C13 to C14, 1.2m, Red

AP8704S-WWX340

#### Overview

Lead time Usually in Stock

#### Main

Product or component type	Power cord
Input Connection Type	IEC 60320 C14
Cable length	1.2 m
Number of cables	6

## **Physical**

Colour	Red
Height	24 cm
Width	7 cm
Depth	4.5 cm
Net weight	1.01 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

## Input

Max line current	10 A
Input current limits	10 A

## Output

Max current draw	10 A
Number of power socket outlets	1 IEC 60320 C13
Power cable length	1.2 m

#### **Conformance**

Product certifications	CCC		
	PSE		
	VDE		

#### **Environmental**

7 Aug 2024

Ambient air temperature for operation	070 °C
Relative humidity	2080 %

Operating altitude	010000 ft
Ambient air temperature for storage	-2575 °C
Storage Relative Humidity	2080 %
Storage altitude	0.000000000015240.000000000 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24 cm
Package 1 Width	4.5 cm
Package 1 Length	7 cm
Package 1 Weight	1.01 kg

# **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

#### Resource performance

Energy Efficient Product

Take-Back Program Available

#### Well-being performance

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation

Eu Rohs Directive

Compliant

EU RoHS Declaration

Environmental Disclosure

Product Environmental Profile

Circularity Profile

End of Life Information