

Conference Table Connectivity Box with Laptop Docking

Product ID: KITBZDOCK



Add docking and video conferencing capabilities to a boardroom, classroom or huddle space. This conference table connectivity box bundle lets you:

- Access your room's display and collaboration peripherals with a single connection
- Charge mobile devices using the USB-A charge port
- Power a supported USB-C laptop with USB Power Delivery

During meetings, you may need to set up video conference calls using applications such as Microsoft Teams, Zoom or Google Hangouts. Unlike other boardroom conferencing solutions that are limited to only one or two collaboration applications, this module lets you use your own laptop, so you are not restricted to a specific platform.

Connect a USB-C or USB-A laptop to the module and access your room's peripherals, webcams, speakers, mics, network and HDMI display. This conference table AV box and docking station module lets you easily connect your laptop with each video conferencing device in your boardroom. You can collaborate with others in the room and around the globe.

For users that are unable to dock or for quick access to the display, the front-facing HDMI port lets you connect a laptop directly to the display.

Design a practical and stylish solution that impresses your visitors and facilitates their needs. The in-table connectivity box is easy to install in a conference room table, desk or lectern, and features a black aluminum finish that complements your table and your peripherals.

KITBZDOCK is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

- Simple connectivity between your laptop and your room's devices
- Perfect for conference calls and presentations
- Ideal for meeting rooms, classrooms, and huddle spaces

Features

- Clear boardroom clutter with concealed in-table installation
- Easily access boardroom or huddle space devices and set up conference calls using applications such as Skype for Business
- Connect to all your boardroom peripherals from a USB-C or USB-A laptop
- Power and charge your USB-C laptop with USB Power Delivery 2.0 (up to 60W)
- Keep your mobile devices charged with the USB-A charging port

Hardware

Warranty	2 Years
Industry Standards	USB Power Delivery Specification Rev. 2.0 USB Battery Charging Specification Rev. 1.2 IEEE 802.3, IEEE 802.3u, IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0 and 1.1

Software

OS Compatibility	Windows 7, 8, 8.1, 10 macOS 10.9 - 10.12, 10.14 - 10.15, 11.0 Chrome OS v55+
------------------	--

Special Notes / Requirements

Note	Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery 2.0 and DP alt mode. 4K resolution is supported. A 4K-capable display is required to achieve 4Kx2K resolution If connected to a USB 2.0 host port, or if using a USB 2.0 host connection cable, performance may be limited (USB 3.0 host cable included)
------	--

USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps

The dock connects to the USB-C port on your laptop. The dock can also be connected to the USB-A port on laptops using a USB-B to A cable (included), but Power Delivery to charge your laptop is not available through USB-A

DisplayLink drivers are required for connecting your USB-A laptop to the USB-B port on the module. If your laptop doesn't have the proper drivers installed and you're unable to download and install the drivers, you can connect your laptop directly to the HDMI port to access the room's HDMI display.

Indicators

LED Indicators	Power
----------------	-------

Power

Power Source	AC Adapter Included
Input Voltage	100 - 240 AC
Input Current	2 A
Output Voltage	20V DC
Output Current	6 A
Center Tip Polarity	Positive
Plug Type	N

Environmental

Operating Temperature	0C to 40C (32F to 104F)
Storage Temperature	-20C to 65C (-4F to 149F)
Humidity	20~80% RH

Physical Characteristics

Color	Black
Material	Aluminum and Steel
Product Length	3.9 in [100 mm]
Product Width	5.7 in [14.5 cm]



Product Height	4.5 in [11.5 cm]
Weight of Product	2.4 lb [1.1 kg]

Packaging Information

Package Length	7.6 in [19.2 cm]
Package Width	7.5 in [19 cm]
Package Height	5.3 in [13.4 cm]
Shipping (Package) Weight	6.6 lb [3.0 kg]

What's in the Box

Included in Package	BEZ4MOD
	MOD4DOCKACPD

**Product appearance and specifications are subject to change without notice.*

