

MPN: V-UTP6A0025W-SLIM

# CAT6a U/UTP SLIM Network Cable

## 0.25m, White

CAT6a slim cables is an updated version of CAT6 slim cables. These are perfect for installations where you need to save space in IT Racks and Cabinets. They cables are thinner and very flexible which provides the installer a better accessibility and quick and easy switching. Furthermore it improves the Air-Flow, and thereby reducing the risk of down-time. All the cables are tested tested up to 500Mhz / 1000 Mbps (CAT6a standard) and are backwards compatible with CAT6, CAT5e and CAT5 cables. Each cable are manufactured with a snagless which prevents the connector do be damaged when you install the cable through an installation with very less space.



- LSZH (Low Smoke Zero Halogen)
- CAT6a tested up to 500 MHz
- with snagless
- with gold-plated pins
- low cable diameter: 3,6mm
- very flexible, very easy to move to save space behind baseboards
- Support PoE++

## Spezifikationen

<b>Battery</b>	<b>Battery Type</b>	NONE - Only use for non-battery items
<b>Features</b>	<b>AWG-Drahtgröße</b>	28
	<b>Datenübertragungsrate</b>	10000 Mbit/s
	<b>Frequenz</b>	500 MHz
	<b>Halogen frei</b>	Yes
	<b>Jackenmaterial</b>	Low smoke zero halogen (LSZH)
	<b>Kabelabschirmung</b>	U/UTP (UTP)
	<b>Kabellänge</b>	0,25 m
	<b>Kabelstandard</b>	Cat6a
	<b>Leitermaterial</b>	Copper
	<b>Leitertyp</b>	Stranded
	<b>Produktfarbe</b>	White
	<b>RoHS-Konformität</b>	Yes
	<b>Snagless Kabelschuh</b>	Yes
	<b>Stecker 1</b>	RJ45
	<b>Stecker 1 Geschlecht</b>	Male
	<b>Stecker 2</b>	RJ45
<b>Stecker 2 Geschlecht</b>	Male	
<b>Other features</b>	<b>Produktreihe</b>	Slim Cable
	<b>Technische Eigenschaften</b>	Boot with kink protection, strain relief and latch protection
<b>Package dimensions (verified)</b>	<b>Depth Verified</b>	12 cm
	<b>Gross Weight Verified</b>	0,012 kg

<b>Package dimensions (verified)</b>	<b>Height Verified</b>	1,4 cm
	<b>Width Verified</b>	16 cm
<b>Packaging data</b>	<b>Menge pro Packung</b>	1 Stück(e)
<b>Product dimensions</b>	<b>Net Weight</b>	0,002 kg
<b>Technical details</b>	<b>Enthält nicht</b>	Halogen
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Jahre)
<b>Weight &amp; dimensions</b>	<b>Außendurchmesser</b>	3,6 mm

## Weitere Produkte dieser Serie

Kabellänge	Black	Blue	Green	Grey
0,15	V-UTP6A0015S-SLIM	V-UTP6A0015B-SLIM		V-UTP6A0015-SLIM
0,2		V-UTP6A002B-SLIM		
0,25	V-UTP6A0025S-SLIM	V-UTP6A0025B-SLIM	V-UTP6A0025G-SLIM	V-UTP6A0025-SLIM
0,3		V-UTP6A003B-SLIM		
0,5	V-UTP6A005S-SLIM	V-UTP6A005B-SLIM	V-UTP6A005G-SLIM	V-UTP6A005-SLIM
1,0	V-UTP6A01S-SLIM	V-UTP6A01B-SLIM	V-UTP6A01G-SLIM	V-UTP6A01-SLIM
1,5	V-UTP6A015S-SLIM	V-UTP6A015B-SLIM	V-UTP6A015G-SLIM	V-UTP6A015-SLIM
2,0	V-UTP6A02S-SLIM	V-UTP6A02B-SLIM	V-UTP6A02G-SLIM	V-UTP6A02-SLIM
3,0	V-UTP6A03S-SLIM	V-UTP6A03B-SLIM	V-UTP6A03G-SLIM	V-UTP6A03-SLIM
4,0		V-UTP6A04B-SLIM		
5,0	V-UTP6A05S-SLIM	V-UTP6A05B-SLIM	V-UTP6A05G-SLIM	V-UTP6A05-SLIM
7,5	V-UTP6A075S-SLIM	V-UTP6A075B-SLIM	V-UTP6A075G-SLIM	V-UTP6A075-SLIM
10,0	V-UTP6A10S-SLIM	V-UTP6A10B-SLIM	V-UTP6A10G-SLIM	V-UTP6A10-SLIM
15,0		V-UTP6A15B-SLIM		
20,0		V-UTP6A20B-SLIM		

Kabellänge	Red	White	Yellow
0,15		V-UTP6A0015W-SLIM	
0,2			
0,25	V-UTP6A0025R-SLIM	V-UTP6A0025W-SLIM	V-UTP6A0025Y-SLIM
0,3			
0,5	V-UTP6A005R-SLIM	V-UTP6A005W-SLIM	V-UTP6A005Y-SLIM
1,0	V-UTP6A01R-SLIM	V-UTP6A01W-SLIM	V-UTP6A01Y-SLIM
1,5	V-UTP6A015R-SLIM	V-UTP6A015W-SLIM	V-UTP6A015Y-SLIM
2,0	V-UTP6A02R-SLIM	V-UTP6A02W-SLIM	V-UTP6A02Y-SLIM
3,0	V-UTP6A03R-SLIM	V-UTP6A03W-SLIM	V-UTP6A03Y-SLIM
4,0			
5,0	V-UTP6A05R-SLIM	V-UTP6A05W-SLIM	V-UTP6A05Y-SLIM
7,5	V-UTP6A075R-SLIM	V-UTP6A075W-SLIM	V-UTP6A075Y-SLIM
10,0	V-UTP6A10R-SLIM	V-UTP6A10W-SLIM	V-UTP6A10Y-SLIM
15,0			
20,0			

## Weitere Bilder

