

# HP Engage 15t XGA No Stand Monitor

Modernize without having to change your software

Engage your customers with a bright and responsive HP Engage 15" XGA Touch Screen Display that uses a standard 4:3 aspect ratio so most existing software applications will continue to be easily readable without having to make modifications.



\*Product image may differ from actual product

|                                                                                                                                                               |                                                                                                                                                                                                                     |                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Compatible design</b><br>With a 4:3 aspect ratio, images from the vast majority of standard applications will look as intended without extra modification. | <b>Bright and Responsive Touch Screen</b><br>Engage with your customers using a bright, projective capacitive touch screen (PCAP) that responds to wet or dry fingers and resists liquids and surface contaminants. | <b>Easy Mounting Options</b><br>Get the flexibility you need with optional mounting choices that include a VESA mount or tilting column stand for optimal placement and comfortable touch interaction. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Sustainability in action

**Sleek and Stylish**  
Compliment your environment with the same sleek look as the full family of HP Engage products.



# HP Engage 15t XGA No Stand Monitor



## Featuring



# HP Engage 15t XGA No Stand Monitor

## Specifications

### Display specifications

|                              |                                                                                           |
|------------------------------|-------------------------------------------------------------------------------------------|
| Aspect ratio                 | 4:3 <sup>1</sup>                                                                          |
| Curvature                    | Flat                                                                                      |
| Native resolution            | XGA (1024 x 768) <sup>1,2</sup>                                                           |
| Resolution (maximum)         | XGA (1024 x 768 @ 60 Hz)                                                                  |
| Resolutions supported        | 640 x 480; 720 x 400; 800 x 600; 1024 x 768                                               |
| Panel type                   | VA                                                                                        |
| Bezel                        | Standard                                                                                  |
| Touch-enabled                | Projected Capacitive technology                                                           |
| Panel active area            | 11.97 x 8.98 in                                                                           |
| Panel bit depth              | 8 bit                                                                                     |
| Display colors               | Up to 16.7 million colors supported <sup>3</sup>                                          |
| Response time                | 5ms GtG (with overdrive) <sup>1</sup>                                                     |
| Pixel pitch                  | 0.3 mm                                                                                    |
| Pixels per inch (ppi)        | 85 ppi                                                                                    |
| Backlight type               | Edge-lit                                                                                  |
| Display User Control Options | Brightness; Management; Information; Exit; Input; Color; Image; Power; Contrast; Language |
| Screen treatment             | Anti-glare                                                                                |
| Hardness                     | 6H                                                                                        |
| VESA mount                   | 100 mm x 100 mm (bracket included)                                                        |
| Speaker output power         | 2 x 2 W;                                                                                  |

### Connectivity and communications

|                     |                                              |
|---------------------|----------------------------------------------|
| Port and connectors | 1 DisplayPort™ 1.2                           |
|                     | 1 x 3.5 mm Audio Jack (Audio Out)            |
|                     | 2 SuperSpeed USB Type-A 5Gbps signaling rate |
|                     | 1 USB-B                                      |
| Power supply        | 100 - 240 VAC 50/60 Hz (External)            |



# HP Engage 15t XGA No Stand Monitor

## Specifications

### Appearance

|                                      |                         |
|--------------------------------------|-------------------------|
| Detachable stand                     | Yes                     |
| Physical security                    | None                    |
| Dimensions without Stand (W x D x H) | 13.71 x 1.28 x 10.72 in |
| Weight                               | 8.58 lb                 |
| Weight Note                          | With stand.             |
| Packaged Dimensions (W x D x H)      | 16.38 x 5.51 x 12.99 in |
| Packaged weight                      | 10.38 lb                |

### Certification and compliance

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Energy efficiency                 | ENERGY STAR® certified                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Sustainable impact specifications | Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; 5% post-consumer recycled plastic; Low Halogen; Designed with recycled metals <sup>5,6,7,8</sup>                                                                                                                                                                                                                                                                                                    |
| Certifications                    | CB; CE; CEL; China CCC; China CECP; C-Tick; cTUVus; CU; EAC; ENERGY STAR®; E-standby (Korea); EUP Lot-5; EUP Lot-6; FCC; ISO 9241-307; KC (Korean) requirements; KCC (Korean) requirements; Microsoft WHQL Certification (Windows 10); NOM (Mexico); PSB for Singapore; RCM; Taiwan BSMI; TUV Bauart; VCCI; EUP Lot-26; California Energy Commission (CEC); South Africa Energy; Mexico Energy; UAE; TUV-GS; Ukraine certificates; Belarus Energy; India BIS; Cambodia ISC; IC; NRCS |
| Environmental                     | Operating temperature range: 41 to 95°F<br>Operating humidity: 20 to 80% RH<br>Non-operating humidity: 5 - 95 %                                                                                                                                                                                                                                                                                                                                                                      |

### Additional information

|                   |                                                                                                      |
|-------------------|------------------------------------------------------------------------------------------------------|
| Part Number       | P/N: 67Q84AA; UPC code: 196548379583                                                                 |
| What's in the box | Monitor; Warranty card; Product notice; Quick Setup Poster; AC power cord <sup>9</sup>               |
| Country of origin | China(ABG, ABV, AR6, AB1, ABB, ABU, ACQ, AB0, AKL, AB4, ABT, UUF, A2N, ABJ, AB2, ABA, A2K, ABY, UUZ) |



# HP Engage 15t XGA No Stand Monitor

## Footnotes

### Messaging Footnotes

### Technical Specifications Footnotes

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> Apply to high resolution and/or high frame rate displays only.

<sup>3</sup> Number of colors through A-FRC technology.

<sup>4</sup> EPEAT® registered where applicable. EPEAT® registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country. Based on US EPEAT® registration according to IEEE 16801-2018 EPEAT®. Status varies by country. Visit [www.epeat.net](http://www.epeat.net) for more information.

<sup>5</sup> External power supplies, WWAN modules, power cords, cables, and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.

<sup>6</sup> Recycled plastic content percentage is based on the definition set in the IEEE 16801-2018 standard.

<sup>7</sup> Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

<sup>8</sup> Molded pulp cushions are made from 100% recycled wood fiber and organic materials.

<sup>9</sup> Included cables may vary by country.

